

**MONTREAL PROTOCOL
ON SUBSTANCES THAT DEplete
THE OZONE LAYER**



UNEP

**REPORT OF THE
TECHNOLOGY AND ECONOMIC ASSESSMENT PANEL**

OCTOBER 2014

**FINAL EVALUATION OF 2014 CRITICAL USE NOMINATIONS FOR
METHYL BROMIDE
AND RELATED MATTERS**

UNEP
OCTOBER 2014 REPORT OF THE
TECHNOLOGY AND ECONOMIC
ASSESSMENT PANEL

EVALUATION OF 2014 CRITICAL USE NOMINATIONS FOR
METHYL BROMIDE

FINAL REPORT

**Montreal Protocol
On Substances that Deplete the Ozone Layer**

Report of the
UNEP Technology and Economic Assessment Panel

October 2014

**FINAL EVALUATION OF 2014 CRITICAL USE NOMINATIONS FOR
METHYL BROMIDE**

The text of this report is composed in Times New Roman.

Co-ordination: **Methyl Bromide Technical Options Committee**

Composition of the report: Co-chairs Ian Porter, Marta Pizano, Mohammed Besri

Reproduction: UNON Nairobi

Date: October 2014

Under certain conditions, printed copies of this report are available from:

UNITED NATIONS ENVIRONMENT PROGRAMME
Ozone Secretariat, P.O. Box 30552, Nairobi, Kenya

This document is also available in portable document format from
http://www.unep.org/ozone/teap/Reports/TEAP_Reports/

No copyright involved. This publication may be freely copied, abstracted and cited, with acknowledgement of the source of the material.

Disclaimer

The United Nations Environment Programme (UNEP), the Technology and Economic Assessment Panel (TEAP) Co-Chairs and members, the Methyl Bromide Technical Options Committee (MBTOC) Co-Chairs and members, and the companies and organisations that employ them do not endorse the performance, worker safety, or environmental acceptability of any of the technical options discussed in this report. Every industrial operation requires consideration of worker safety and proper disposal of contaminants and waste products. Moreover, as work continues - including additional toxicity evaluation - more information on health, environmental and safety effects of alternatives and replacements will become available for use in selecting among the options discussed in this document.

UNEP, TEAP Co-Chairs and members, and the MBTOC Co-Chairs and members, in furnishing or distributing this information, do not make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or utility; nor do they assume any liability of any kind whatsoever resulting from the use or reliance upon any information, material, or procedure contained herein, including but not limited to any claims regarding health, safety, environmental effect or fate, efficacy, or performance, made by the source of information.

Mention of any company, association, or product in this document is for information purposes only and does not constitute a recommendation of any such company, association, or product, either express or implied by UNEP, TEAP Co-Chairs and members, and the MBTOC Co-Chairs and members or the companies or organisations that employ them.

Acknowledgement

The Technology and Economic Assessment Panel and its Methyl Bromide Technical Options Committee acknowledge with thanks the outstanding contributions from all of the individuals and organisations who provided support to Panel and Committee Co-Chairs and members. The opinions expressed are those of the Panel and the Committee and do not reflect the reviews of any sponsoring or supporting organisation.

Methyl Bromide Technical Options Committee:

MBTOC Co-Chairs: Mohammed Besri (Morocco), Marta Pizano (Colombia), Ian Porter (Australia).

MBTOC Technical Members: Jonathan Banks (Australia); Chris Bell (UK); Fred Bergwerff (Netherlands); Aocheng Cao (China); Peter Caulkins (USA); Ricardo Deang (Philippines); Raquel Ghini (Brazil); Ken Glassey (New Zealand); Alfredo Gonzalez (Philippines); Michelle Marcotte (Canada); Takashi Misumi (Japan); David Okioga (Kenya); Christoph Reichmuth; (Germany); Jordi Riudavets (Spain); John Sansone (USA); Sally Schneider (USA); Johannes (Stappies) Staphorst (South Africa); Akio Tateya (Japan); Robert Taylor (UK); Alejandro Valeiro (Argentina); Ken Vick (USA); Chris Watson (UK); Jim Wells (USA); Eduardo Willink (Argentina);.Suat Yilmaz (Turkey)

MBTOC Economist: Nick Vink (South Africa)

MBTOC FINAL CUN REPORT – OCTOBER 2014

Common Acronyms

1,3-D	1,3-dichloropropene
A5	Article 5 Party
ASD	Anaerobic Soil Disinfestation
CUE	Critical Use Exemption
CUN	Critical Use Nomination
DOI	Disclosure of Interest
EC	European Community
EMOP	Extraordinary Meeting of the Parties
EPA	Environmental Protection Agency
EPPO	European Plant Protection Organisation
IM	Iodomethane
IPM	Integrated Pest Management
IPPC	International Plant Protection Convention
ISPM	International Standard Phytosanitary Measures
LPBF	Low Permeability Barrier Film (including VIF films)
MB	Methyl Bromide
MBTOC	Methyl Bromide Technical Options Committee
MITC	Methyl isothiocyanate
MOP	Meeting of the Parties
MS	Metam sodium
OEWG	Open Ended Working Group
Pic	Chloropicrin
QPS	Quarantine and Pre-shipment
SF	Sulfuryl fluoride
TEAP	Technology and Economics Assessment Panel
TIF	Totally Impermeable Film
VIF	Virtually Impermeable Film
VOC	Volatile Organic Compounds

2014 Final Evaluation of Critical Use Nominations for Methyl Bromide and Related Matters

Table of Contents

1.1	SCOPE OF THE REPORT	1
1.2.	CRITICAL USE NOMINATIONS FOR METHYL BROMIDE	1
1.2.1	MANDATE	1
1.2.2	FULFILMENT OF DECISION IX/6	2
1.2.3	REPORTING OF MB CONSUMPTION FOR CRITICAL USE.....	2
1.2.4	TRENDS IN METHYL BROMIDE USE FOR CUES SINCE 2005	3
1.2.5	DISCLOSURE OF INTEREST	3
1.2.6	ARTICLE 5 ISSUES	6
1.2.7	CONSIDERATION OF STOCKS, DECISION EX.1/4 (9F)	6
1.3	FINAL EVALUATION OF CUNS – 2014 ROUND FOR 2015 AND 2016 EXEMPTIONS.....	10
1.3.1	CRITICAL USE NOMINATIONS SUBMITTED	10
1.3.2	FINAL EVALUATION OF CUNS SUBMITTED IN 2014.....	11
1.3.3	CRITICAL USE NOMINATIONS REVIEW.....	11
1.3.4	ACHIEVING CONSENSUS	11
1.4	FINAL EVALUATION OF 2014 CRITICAL USE NOMINATIONS FOR PREPLANT SOIL USE OF METHYL BROMIDE FOR 2015 AND 2016	12
1.4.1	CRITICAL USE NOMINATION ASSESSMENT	12
1.4.2	ISSUES RELATED TO CUN ASSESSMENT FOR PREPLANT SOIL USE	13
1.4.3	GENERAL COMMENTS ON THE ASSESSMENT FOR PREPLANT SOIL USE.....	13
1.4.4	REGISTRATION OF ALTERNATIVES FOR PREPLANT USES - DECISION EX I/4 (9I) AND (9J).....	13
1.4.5	DECISION XXV/4.....	14
1.4.5.1.	REGULATIONS IMPACTING USE OF ALTERNATIVES BY COUNTRY.....	14
1.4.5.2.	HEALTH EFFECTS OF MB USE AND ENVIRONMENTAL ACCEPTABILITY	15
1.4.6	SUSTAINABLE ALTERNATIVES FOR PREPLANT USES.....	15
1.4.7	STANDARD PRESUMPTIONS USED IN ASSESSMENT OF NOMINATED QUANTITIES.....	15
1.4.8	ADJUSTMENTS FOR STANDARD DOSAGE RATES USING MB/PIC FORMULATIONS	17
1.4.9	USE/EMISSION REDUCTION TECHNOLOGIES - LOW PERMEABILITY BARRIER FILMS AND DOSAGE REDUCTION.....	18
1.5.	FINAL EVALUATION OF CUNS: STRUCTURES AND COMMODITIES.....	37
1.5.1	STANDARD RATE PRESUMPTIONS	37
1.5.2.	DETAILS OF THE EVALUATION	37
1.6.	ACTIVITY REPORT 2013 AND WORKPLAN FOR 2014.....	40
1.6.1.	ACTIVITY REPORT FOR 2014	40
1.6.2.	WORK PLAN AND INDICATIVE BUDGET FOR 2015	40
1.7	REFERENCES:.....	42
ANNEX 1: DECISION IX/6		47
ANNEX II - PART A: HISTORIC TRENDS IN PREPLANT SOIL NOMINATIONS AND EXEMPTIONS FOR MB USE		48
ANNEX III– PART B: HISTORIC TRENDS IN STRUCTURAL AND COMMODITY NOMINATIONS AND EXEMPTIONS FOR MB USE.....		55

2014 Final Evaluation of Critical Use Nominations for Methyl Bromide and Related Matters

1.1 Scope of the Report

The 2014 final report provides the outcome of evaluation by MBTOC of Critical Use Nominations (CUNs) submitted for methyl bromide (MB) for 2015 and 2016 by six Parties: three non-A5 (Australia, Canada and USA) and three A5 (Argentina, China and Mexico). One additional A5 Party (Malaysia) submitted a nomination earlier in the year, but later informed MBTOC and the Ozone Secretariat and MBTOC that it was withdrawing the nomination. As per provisions set out in Decision IX/6 (Annex I, MOP16), CUNs were submitted by the Parties to the Ozone Secretariat in accordance with the timetable shown in paragraph 1 of Annex I, Decision XVI/4. Given that January 1st, 2015 is the deadline for phasing-out methyl bromide in A5 Parties, these Parties are now able to submit CUNs this year according to provisions set out in the Protocol.

This report provides; 1) final recommendations for the CUNs for which the Parties provided information as per the timelines set at the 25th Meeting of the Parties, 2) information from Parties on stocks (Decision Ex.1/4 (9f)), 3) partial information on actual MB consumption for critical uses (in accordance with Decision XVII/9), and 4) apparent adoption rates of alternatives, as evidenced by trend lines on reduction of MB CUNs (in accordance with Decisions XIX/9, XX/5). It is noted that trend lines on adoption may not necessarily indicate true adoption rates for alternatives, as the use of stocks of MB that may have been available to the same sector or areas of production may have increased or fallen within the sector due to a range of circumstances. MBTOC notes that stock volumes have significantly decreased in recent years.

Standard presumptions used in the 2014 round are the same as those used for many years for the non A5 assessments and did not vary for the A5 assessments. These standard presumptions are subject to continual review and any changes proposed by MBTOC are required to be approved by the Parties at the MOP in the year preceding any CUN assessments. This is in accordance with paragraph 2 of Annex 1 to the report of MOP16.

1.2. Critical Use Nominations for Methyl Bromide

1.2.1. *Mandate*

Under Article 2H of the Montreal Protocol, Parties not operating under Article 5(1) are required to phase-out all production and consumption (defined as production plus imports minus exports) of MB for non QPS uses after 1 January 2005. The same requirements apply to Parties operating under Article 5(1) after 1 January 2015. However, the Parties agreed to a provision enabling exemptions for those uses of MB that qualify as critical. Parties established criteria, under Decision IX/6 (see Annex 1 of this report) of the Protocol, which all critical uses need to meet in order to qualify for an exemption. TEAP and its MBTOC have provided guidance to the Parties on recommendations regarding critical use exemptions in accordance with Decisions IX/6, Annex I of Decision XVI/2 and a number of subsequent decisions (XVI/2; XVII/9, XVIII/13, XIX/9, XX/5, XXI/11, XXII/6, XXIII/4, XXIV/5 and XXV/4).

Decision XXIV/5 differed from past decisions in that it reinforced that Parties ‘take all reasonable steps to explore further the possibility of transitioning to technically and economically feasible alternatives and to ensure that the Methyl Bromide Technical Options Committee (MBTOC) is fully aware of these efforts.

Decision XXV/4 requests Australia and Canada to submit, by the 36th OEWG in 2016, the available results of their research programmes on alternatives to MB to the TEAP for its consideration. This same Decision further requests TEAP to analyse the impact of national, sub-national and local regulations and law on the potential use of MB alternatives, to report annually on the status of re-registration and review of MB uses for the applications reflected in the CUNs, including any

information on health effects and environmental acceptability and to report annually on the status of registration of alternatives and substitutes for MB, with particular emphasis on possible regulatory actions that will increase or decrease dependence on MB.

MBTOC considers that any chemical or product registered for a particular use has been through the rigours of the national local regulatory authorities and accepts that these fall within guidelines for health effects and environmental acceptability. MBTOC particularly takes note of those products, which are generally listed in any CUN application.

1.2.2 Fulfilment of Decision IX/6

Decision XVI/2 and Decision XXI/11 directed MBTOC to indicate whether all CUNs fully met the requirements of Decision IX/6. When the requirements of Decision IX/6 are met, MBTOC can recommend critical uses of MB. When some of the conditions are not fully met, MBTOC can recommend a decreased amount depending on its technical and economic evaluation, or determine the CUN as “unable to assess” and request further information from the Party. When the information is submitted, MBTOC is required to re-assess the nomination, following the procedures defined in Annex 1 of the Sixteenth Meeting of the Parties.

MBTOC recommended less MB than requested in a CUN when technically and economically feasible alternatives were considered to be available or, when the Party failed to show that there was no technically and economically feasible alternative for part of the nomination. In this round, MBTOC did not recommend two nominations as important information essential to the assessment had not been supplied and the nomination did not meet the requirements of Decision IX/6. In this round of CUNs, as in previous rounds, MBTOC considered all information provided by the Parties, including answers to questions from MBTOC and all additional information submitted by the Parties up to the date of the evaluation.

Now that technically and economically feasible alternatives have been identified for virtually all applications of MB, regulations on the use of these alternatives often determine their availability to the end users. In view of the large numbers of sectors which have moved effectively to alternatives, it was particularly important in this round for the Parties, and particularly for A5 Parties submitting CUNs for the first time, to clearly identify why MB is considered critical for the specific circumstances of the nomination. Comparative information on the economic feasibility/infeasibility of the use of alternatives compared to MB is also becoming more critical to the outcomes of present and future CUNs. In particular, MBTOC needs annual updates of the economics information evaluating the costs of alternatives.

1.2.3 Reporting of MB Consumption for Critical Use

A number of decisions (Ex. I/3(5); XVI/2(4); XVII/9(5)), XVIII/13(6), XIX/9(7), XX/5(7), XXI/11(6), XXII/6(5), XXIII/4(4), XXIV/5 and XXV/4 set out provisions which request Parties to submit by 1st February each year information on how criteria in IX/6(1) is met when licensing permitting or authorizing CUEs. Decision XVII/9 of the 17th MOP specifically requests TEAP and its MBTOC to “*report for 2005 and annually thereafter, for each agreed critical use category, the amount of MB nominated by a Party, the amount of the agreed critical use and either:*

- (a) The amount licensed, permitted or authorised; or*
- (b) The amount used*

Since the start of the CUN reviews in 2003, MBTOC has provided tables of the historic amounts of MB nominated and agreed for each critical use (Annexes III and IV). Additionally Parties provide accounting frameworks on amounts used for critical uses and stocks as required under Dec Ex.1/4 (9f). (Table 1-3).

For 2013, the Meeting of the Parties authorised Australia to use 29.760 tonnes of MB for strawberry runners and 1.187 t for use on rice. The Party exempted 32.134 t and 31.521 t was reportedly used for the critical uses in 2013. For Canada, the Meeting of the Parties in 2013 authorised 13.109 t for strawberry runners. In the accounting framework the party reported that 12.867 t was used for critical uses in 2013. For the United States, the MOP authorised 562.326 t for a wide range of crops and commodities in 2013 (Annex III and IV). In their allocation regulation for 2013 critical uses, the Party reported that 562.326 t had been approved for pre-plant soil uses and postharvest uses (Federal Register 78, July 22, 2013).

As this is the first year that A5 Parties are able to submit CUNs, under Decision Ex1/4. (9f) those A5 Parties which are granted critical use will need to provide accounting frameworks for these uses in forthcoming years.

1.2.4 Trends in Methyl Bromide Use for CUEs since 2005

Decision XVII/9 requires TEAP to show trends in the phase out of the critical uses of MB by the Parties (Fig 1-1 and Fig 1-2, Annexes III and IV). Since 2005, there has been a progressive downward trend in the amounts of MB requested for CUNs by all Parties for both soil and post-harvest uses, although this has occurred at different rates. Figs 1-1 and 1-2 show reduction trends in amounts approved/nominated by Parties for 'Critical Use' from 2005 to 2016 for all the remaining soil and structures and commodity uses. The complete trends in phase out of MB by country, as indicated by change in CUE, are shown in Annexes III and IV.



The nominated amounts and the apparent rate of reduction in MB or adoption of alternatives achieved by Parties are shown in Table 1-4, as well as Figures 1-1 and 1-2. It is noted that for those non-A5 countries that have pre-2005 stocks of MB that are being drawn down, the reductions in CUEs from year to year cannot be taken directly as evidence of adoption of alternatives since pre-2005 stocks may have been used (or may still be used) in the same sectors.

1.2.5 Disclosure of Interest

As in past reports, MBTOC members were requested to update their disclosure of interest forms relating specifically to their level of national, regional or enterprise involvement for the 2014 CUN process. The Disclosure of Interest declarations for 2014, updated in March 2014 can be found on the internet at http://ozone.unep.org/new_site/en/disclosure_of_interest.php?body_id=6&committee_id=6 and a list of members in Annex I to the 2014 TEAP Report, Volume One. As in previous rounds, some members withdrew from or abstained to participate in a particular CUN assessment or only provided technical advice on request, for those nominations where a potential conflict of interest was declared.

MBTOC co-chairs further briefed members of recent updates introduced by the Parties to the Terms of Reference (TOR) of the TEAP/TOC, as per recent Decisions XXIV/8 and XXV/6.

Figure 1-1. Amounts of MB nominated and exempted for CUE uses in nominated preplant soil sectors from 2005 to 2016. Blue lines indicate the trend in CUN MB nominated and the red lines the amount of CUE MB approved by the Parties







Figure 1-2. Amounts of MB nominated and exempted for CUE uses in dry cure pork (smokehouse hams) from 2005 to 2016. Blue lines indicate the trend in the CUN MB nominated and the red lines the amount of CUE MB approved by the Parties



1.2.6 Article 5 issues

MB is due to be fully phased out in A5 Parties by January 1, 2015, 10 years after full phaseout by non-A5 Parties. In both cases, uses for feedstock and QPS are exempted from phase out under the control measures described in Article 2H. There is also provision for exemption from phase out for uses deemed ‘critical’ according to Article 2H, as complying with Decision IX/6.

Presently, approximately 85% of the controlled consumption in A5 Parties has been phased out, ahead of the 2015 deadline. This has been achieved largely as a result of investment projects implemented by the Montreal Protocol agencies, with MLF funding, bilateral cooperation and also national funding. The large majority of A5 Parties still consuming MB have agreements in place with the Executive Committee for full phase-out of MB by 1st January 2015 at the latest. These were usually accompanied by a commitment from the Party in question to put in place policy packages to restrict consumption of MB for controlled uses after the phase-out. MBTOC notes that all A5 Parties submitting CUNs in this round have received substantial funding from the MLF for complete phase-out of MB in their countries by 1st January 2015 at the latest, sometimes earlier. MBTOC did note that some studies in some sectors in MLF projects did not commence till relatively late in the project (i.e. 2012), however the evaluation of particular alternatives generally has occurred for a long time. MBTOC considered that at least for the latter case, that data from within the country should be supplied showing that alternatives were ineffective.

1.2.7 Consideration of Stocks, Decision Ex.I/4 (9f)

One criterion for granting a critical use is that MB “*is not available in sufficient quantity and quality from existing stocks of banked or recycled MB*” (paragraph 1 (b) (ii) of Decision IX/6). Parties nominating critical use exemptions are requested under decision Ex.I/4(9f) to submit an accounting framework with the information on stocks. MBTOC has not reduced its recommended amount of MB in consideration of stocks held by the Party and has instead relied on Parties to take this into consideration when approving the amounts recommended by TEAP for each nomination. To assist the Parties with their consideration of stocks, and in accordance with Decision XVIII/13(7), a summary of the data on stocks as reported by the Parties in the first year for accounting in 2006, and then reports submitted in 2012 and 2013 are summarized in Tables 1-1 to 1-3 below.

Parties may wish to consider this information in the light of Decision IX/6 1(b) (ii) when authorising MB for critical uses.

Efficient functioning of commerce requires a certain level of available stocks and additional stocks to respond to emergencies. Additionally, stocks may be held on behalf of other Parties or for exempt uses (feedstock and QPS uses). The correct or optimal level of stocks for virtually every input to production is not zero. In addition, stocks are privately owned and may not be readily available for critical uses, or there may be national regulations preventing the transfer of stocks. Despite these restrictions, Parties may wish to ensure that stocks are used wherever possible in order to minimize the quantity of MB that need to be produced each year for critical uses. Tables 1-1 to 1-3 report the quantities of MB ‘on hand’ at the beginning and end respectively of 2005, 2012 and 2013 as required under Decision XVI/6. The earlier CUN reports identified stocks for the other years.

Table 1-1. Quantities of MB (metric tonnes) ‘on hand’ at the beginning and end of 2005, as first reported by Parties in 2006/2007 under Decision XVI/6.

Party	Critical use exemptions authorized by MOP for 2005	Quantity of MB as reported by Parties (metric tonnes)				
		Amount on hand at start of 2005	Quantity acquired for CUEs in 2005 (production +imports)	Amount available for use in 2005	Quantity used for CUEs in 2005	Amount on hand at the end of 2005
Australia	146.6	0	114.912	114.912	114.912	0
Canada	61.792	0	48.858	48.858	45.146	3.712
EU	4 392.812	216.198	2 435.319	2 651.517	2 530.099	121.023
Israel	1 089.306	16.358	1 072.35	1 088.708	1 088.708	0
Japan	748	0	594.995	594.995	546.861	48.134
New Zealand	50	6.9	40.5	47.4	44.58	2.81
USA(a)	9 552.879		7 613	not reported	7 170	443

Additional information on stocks was reported on US EPA website, September 2006: MB inventory held by USA companies: 2004 = 12,994 tonnes; 2005 = 9,974 tonnes.

Table 1-2. Quantities of MB ‘on hand’ at the beginning and end of 2012, as reported by Parties in 2012 under Decision XVI/6.

Party	Critical use exemption authorized by MOP for 2012	Quantity of MB as reported by Parties (metric tonnes)				
		Amount on hand at start of 2012	Quantity acquired for CUEs in 2012 (production +imports)	Amount available for use in 2012	Quantity used for CUEs in 2012	Amount on hand at the end of 2012
Australia	33.413	0	32.593	32.593	32.593	0
Canada	16.281	1.455	12.186	13.641	12.725	0.916
Japan	219.609	9.726	155.902	165.628	174.708	2.709
USA	1023 [760 t authorization and 263 t critical stock allowances]	? ^(c) 1249(a)	759	2008	759	? ^(c) 627(b)

(a) Amount of pre-2005 stocks available at the start of 2012

(b) Amount of pre-2005 stocks available at the end of 2012

(c) Amount of post 2005 stocks are not reported.

Table 1-3. Quantities of MB ‘on hand’ at the beginning and end of 2013, as reported by Parties in 2013 under Decision XVI/6.

Party	Critical use exemption authorized by MOP for 2013	Quantity of MB as reported by Parties (metric tonnes)				
		Amount on hand at start of 2013	Quantity acquired for CUEs in 2013 (production +imports)	Amount available for use in 2013	Quantity used for CUEs in 2013	Amount on hand at the end of 2013
Australia	32.134	0	31.521	31.521	31.521	0
Canada	13.109	0.916	11.951	12.867	11.460	1.407
Japan	3.317	0.816	1.190	2.006	1.667	0.339
USA	562	? ^(c) 627 ^(a)	562	1189	562	? ^(c) 357 ^(b)

(a) Amount of pre-2005 stocks available at the start of 2013

(b) Amount of pre-2005 stocks available at the end of 2013

(c) Amount of post 2005 stocks are not reported

Table 1-4. Summary of Critical Use Nominations and Exemptions of Methyl Bromide (tonnes)

Party	Quantities Nominated												Quantities Approved											Interim rec.
	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2005 (1ExMOP and 16MOP)	2006 (16MOP+ 2ExMOP+ 17MOP)	2007 (17MOP + 18MOP)	2008 (18MOP + 19MOP)	2009 (19MOP)	2010 (20MOP + 21MOP)	2011 (21MOP)	2012 (22MOP)	2013 (23MOP)	2014 (24MOP)	2015 (25 MOP)	2016
Australia	206.950	81.250	52.145	52.900	38.990	37.610	35.450	34.660	32.164	30.947	29.79	29.79	146.600	75.100	48.517	48.450	37.610	36.440	28.710	31.708	32.134	30.947	29.79	[29.79]
Canada	61.992	53.897	46.745	42.241	39.115	35.080	19.368 +3.529	16.281	13.444	10.305	5.261	5.261	61.792	53.897	52.874	36.112	39.020	30.340 +3.529	19.368	16.281	13.109	10.305	5.261	[5.261]
EC ¹	5754.361	4213.47	1239.873	245.00	0	0	0	0	0	0	0	0	4392.812	3536.755	689.142	245.146	0	0	0	0	0	0	0	0
Israel	1117.156	1081.506	1236.517	952.845	699.448	383.700	232.247	0	0	0	0	0	1089.306	880.295	966.715	860.580	610.854	290.878	0	0	0	0	0	0
Japan	748.000	741.400	651.700	589.600	508.900	288.500	249.420	221.104	3.317	0	0	0	748.000	741.400	636.172	443.775	305.380	267.000	239.746	219.609	3.317	0	0	0
New Zealand	53.085	53.085	32.573	0	0	0	0	0	0	0	0	0	50.000	42.000	18.234	0	0	0	0	0	0	0	0	0
Switzerland	8.700	7.000	0	0	0	0	0	0	0	0	0	0	8.700	7.000	0	0	0	0	0	0	0	0	0	0
USA	10753.997	9386.229	7417.999	6415.153	4958.034	3299.490	2388.128	1181.779 + 6.339	691.608	442.337	377.170	234.78	9552.879	8081.753	6749.060	5355.976	4261.974	3232.856 +2.018	2055.200	993.706	562.328	442.337	377.170	[234.780]
Argentina	-	-	-	-	-	-	-	-	-	-	245		-	-	-	-	-	-	-	-	-	-	[0]	
China	-	-	-	-	-	-	-	-	-	-	120		-	-	-	-	-	-	-	-	-	-	[114]	
Mexico	-	-	-	-	-	-	-	-	-	-	140		-	-	-	-	-	-	-	-	-	-	[84.957]	
TOTALS	18704.241	15617.837	10677.552	8297.739	6244.487	4044.380	2928.142	1460.163	740.533	483.589	917.191	266.561	16050.089	13418.200	9160.714	6990.039	5,254.838	3572.183	2343.024	1261.304	610.888	483.589	412.221 + 198.957	[266.561]

* Not yet available.

¹Members of the European Community which had CUNs/CUEs included: 2005 – Belgium, France, Germany, Greece, Italy, Netherlands, Poland, Portugal, Spain, and the United Kingdom; 2006 – Belgium, France, Germany, Greece, Ireland, Italy, Latvia, Malta, Netherlands, Poland, Portugal, Spain, and the United Kingdom; 2007 – France, Greece, Ireland, Italy, Netherlands, Poland, Spain, and the United Kingdom; 2008 – Poland, Spain

1.3 Final Evaluation of CUNs – 2014 round for 2015 and 2016 exemptions

1.3.1 Critical Use Nominations submitted

At the 34th Open Ended Working Group held in July 2014 in Paris, MBTOC presented interim recommendations for all nine nominations received in 2014. These nominations were received from three non A5 Parties - Australia, Canada and the United States - and three A5 Parties, Argentina, China and Mexico as shown in Table 1-5. During bilateral discussions at the OEWG, two A5 Parties submitting four nominations in the 2014 round indicated that they would send subsequent information for reassessment. Also at the OEWG, the Australian delegation provided an update of results from their current research program on alternatives to MB for strawberry runners.

In summary, in 2014 CUNs were submitted for preplant soil use in non A5 Parties from Australia and Canada who submitted similar amounts to the previous rounds highlighting difficulties with phase out of MB for the strawberry runners sector in particular. The USA submitted a CUN for strawberry fruit production noting that this is the last year this CUN will be submitted. For the postharvest sector only one CUN was received from the USA, for dry cure pork.

With respect to A5 Parties, Argentina submitted CUNs for the strawberry fruit (open field), tomato and pepper sectors (protected), China for both protected and field production of ginger and Mexico for raspberry and strawberry runners produced in the open field. Malaysia initially submitted a CUN for structures concerning flourmills, ship holds and aircraft fumigation, but later withdrew this nomination.

The total amount of MB nominated in the 2014 round for all countries was 774.801 t. Of this, 269.801 t was nominated by non-A5 Parties (representing a 14.8% reduction with respect to the nominated amount in 2013 for 2015) and 505 t by A5 Parties. The A5 nominations were for 2015 and those for non A5 countries were for 2016. In 2016, non-A5 Parties have nominated 315.005 t, a reduction of 34.6% with respect to the previous year. MBTOC has recommended 198.957 t for A5 Parties for 2015 and 266.561 t for non-A5 Parties for 2016. The grounds used for these recommendations are given in detail for the relevant CUNs in Tables 1-9, 1-10 and 1-11.

In general the CUNs were submitted due to the following issues: Regulatory restrictions that did not allow partial or full use of alternatives, difficulties in the scale-up of alternatives and that all alternatives were considered uneconomical, recent development of a sector using MB and need for more time to trial and adopt alternatives, insufficiently effective and/or were unavailable. In paragraph 20 of Annex 1 referred to in Decision XVI/4, Parties specifically requested that MBTOC explicitly state the specific basis for the Party's economic statement relating to CUNs. Tables 1-9, 1-10 and 1-11 provide this information for each CUN as prepared by the MBTOC economist. MBTOC notes the economic information supplied by the nominating Parties continued to improve in this round.

MBTOC also notes that Parties have had two or more occasions to provide supporting information for the nominations. This is important because the onus is on the Party to justify the need for MB as required to meet Decision IX/6. It is also important that data is provided to demonstrate the lack of effectiveness of alternatives under the specific circumstances of the nomination, especially where alternatives, which are available in the country of the nomination, are widely adopted for the same sectors globally.

Initially after receiving CUNs in January/February 2014, MBTOC made a preliminary assessment to ensure information had been provided as per Decision IX/6 and Annex 1 of the 16th MOP. Where some evidence was missing, MBTOC requested further information of the Parties prior to the interim assessment. Detailed interim assessments of all CUNs were then made by MBTOC at a meeting in Stellenbosch (South Africa) from March 31 to April 4, 2014. MBTOC then had discussions with several Parties during bilateral discussions at the OEWG about the interim decisions. In some cases where information was still lacking some Parties supplied further information in response to these discussions.

1.3.2 Final Evaluation of CUNs Submitted in 2014

Final evaluation of the 2014 CUN nominations submitted by Parties were conducted by MBTOC in Frankfurt, Germany from 18 to 22nd August, 2014. Four A5 nominations of the nine nominations submitted required further consideration and/or full reassessment after the initial assessment. Further information was provided by Argentina and Mexico after the 34th OEWG in Paris. As with the initial meeting of the year, MBTOC worked as a single body in plenary to discuss and review all information and to sign off recommendations by consensus. Comments made by members not attending the meeting were considered during evaluations. Some members recused from the consensus process as detailed in section 1.3.4 below.

During the meeting, MBTOC conducted a field visit to a manufacturer of a key alternative for commodity and structure uses.

1.3.3 Critical Use Nominations Review

The meeting was held as required in accordance with the time schedule for the consideration of CUNs provided in Annex I referred to in Decision XVI/4. In considering the CUNs submitted in 2014, as in previous rounds, MBTOC applied as much as possible the standards contained in Annex I of the final report of 16 MOP, and, where relevant, the standard presumptions given below. In particular, MBTOC sought to provide consistent treatment of CUNs within and between Parties while at the same time taking local circumstances into consideration. The most recent CUE approved by the Parties for a particular CUN was used as baseline for consideration of continuing nominations, except in the case of A5 Parties, this being the first time that they have submitted CUNs. In that case, however, historical MB use provided with the nomination, was taken into account. In evaluating the CUNs for soil treatments, MBTOC assumed that the presence of a technically feasible alternative to MB would need to provide sufficient pest and/or weed control for continued production of that crop to existing market standards.

For commodity and structural applications, it was assumed that technically and economically feasible alternatives would provide disinfestation to a level that met the objectives of a MB treatment, e.g. meeting infestation standards in finished product from a mill. The outcome of evaluations of CUNs for the soil and structural treatments are presented in Table 1.9, 1.10 and 1.11 below.

1.3.4 Achieving Consensus

In accordance with decision XX/5(9) and similar subsequent decisions (XXI/11(4), XXII/6(4) and XXIII/4(3)) and XXIV/5& 8 the Parties have indicated that MBTOC ‘*should ensure that it develops its recommendations in a consensus process that includes full discussion among all available members of the Committee...*’

In keeping with these Decisions, as well as the new working scheme put in place by the co-chairs, all members were given access to the information and were able to discuss issues related to all nominations (either in person or by electronic means), but only those members able to physically participate in the meeting formed consensus. All views were discussed fully in plenary and issues debated until a consensus position was reached. No minority positions arose during the meeting.

Several members recused from recommendations on nominations as required by MBTOC’s working procedures. These included Jim Wells (US Strawberry Fruit, Mexican strawberry and raspberry runners, Argentina strawberry fruit, tomato and peppers), Alejandro Valeiro (Argentina strawberry fruit and tomato and pepper), Cao Aocheng (China ginger), Michelle Marcotte (Mexican strawberry and raspberry runners, Argentina strawberry, and tomato and peppers), Eduardo Willink (Argentina strawberry fruit and tomato and pepper) and Ian Porter (Australian Strawberry nurseries). The recusals took place either as a result of a member’s disclosure as per MBTOC’s guidelines or members may have chosen to self-recuse to avoid any perceived conflict of interest.

1.4 Final Evaluation of 2014 Critical Use Nominations for Preplant Soil Use of Methyl Bromide for 2015 and 2016

1.4.1 Critical Use Nomination Assessment

Table 1.5 identifies the recommendations by MBTOC of the quantities of MB requested by Parties for preplant soil use, after consideration of all the information provided by the Parties. In summary, despite some further information being provided from some Parties, the recommendations made during the interim assessment remained unchanged (Table 1.5).

The Australian, Canadian and US nominations were recommended as the Parties gave sufficient substantiation that alternatives were both technically and economically infeasible or were impacted by regulatory issues. The USA nomination as regulations have only recently allowed for full adoption of alternatives previously prevented from use by regulations. The US also indicated that this will be the last year they will submit a CUN for strawberry fruit (MB use will thus stop entirely in that sector after 2016).

The Argentinean nominations were not recommended because the Party did not provide substantive information demonstrating that alternatives, which are available in Argentina and widely used globally in the same sectors with similar circumstances, were not effective under the particular circumstances of these nominations. The CUNs submitted by China and Mexico were only partially recommended after adjustments were made related to MBTOC's standard presumptions or because MBTOC considered that alternatives are available and effective for part of the nomination. In one case, the committee considered that contingency amounts were being requested for a future scenario and this was not supported. The detailed descriptions can be found in Table 1-5.

Table 1-5. Summary of the interim recommendations (in square brackets) for CUE's for preplant uses of MB (tonnes) submitted in 2014 for 2015 and 2016

Country and Sector	Article 5 Parties		Non A5 Parties	
	Nomination by Party for 2015	Final Recommendation for 2015	Nomination by the Party for 2016	Final Recommendation for 2016
1. Australia Strawberry runners			29.760	[29.760]
2. Canada Strawberry runners			5.261	[5.261]
3. USA Strawberry fruit			231.540	[231.540]
4. Argentina Tomato and pepper	145	[0]		
Strawberry fruit	100	[0]		
5. China Ginger, open field	90	[90]		
Ginger, protected	30	[24]		
6. Mexico Strawberry runners	70	[43.539]		
Raspberry runners	70	[41.418]		
TOTAL	505	[198.957]	266.561	[266.561]

1.4.2 Issues Related to CUN Assessment for Preplant Soil Use

Key issues which influenced assessment and the need for MB for preplant soil use of MB in the 2014 round were:

- i) An increase in the chloropicrin dosage rate allowed in California was a key issue related to the further reduction made in the US nomination.
- ii) Continued adoption of a new formulation of 1,3-D/Pic (*Pic-Clor 60*) in the USA, which increases the area that may be treated with 1,3-D in regions affected by township caps in California.
- iii) More effective disease control obtained with shank applied fumigants than drip applied fumigants will influence the practices being adopted for existing and future CUE sector.
- iv) The USA has indicated that this will be the last year that they will submit a CUN for strawberry fruit.
- v) Canada noted that it intends for 2016 to be the final year for use of MB for strawberry runner production.
- vi) The Mexican raspberry and strawberry runner sectors were incorporated into the national MB phase-out project funded by the MLF at a late stage. Only preliminary results from trials with alternatives are thus available at this time. The only chemical alternative available in China for ginger is chloropicrin. Initial results with this fumigant are encouraging, but time is needed to implement integrated control programs for the key pathogen *Ralstonia solanacearum*. Research shows good results with 1,3-D/Pic, but this mixture is not presently registered in China
- vii) Argentina submitted CUNs based on a number of criteria, but particularly on the basis that a key alternative was ineffective in the cold conditions and soil types experienced in the sectors. However, the Party did not provide any substantive data to support that the circumstances of the nomination were unique and different to published studies, which reported on the effectiveness of effective alternatives in the critical areas included in the nominations.

MBTOC has noted more specific issues related to requests for CUNs below and also in the CUN text boxes (Table 1.9).

1.4.3 General Comments on the Assessment for Preplant Soil Use

MBTOC continues to encourage Parties to consider a review of regulations covering the registration, use and adoption of alternatives, particularly those regarding barrier films to reduce dosage rates of MB and its alternatives, and associated emissions. MBTOC also notes that a large proportion of MB has been nominated for uses where regulations or legislation prevent reductions of MB dosage. For several cases, the mandatory use of MB is specified at a high dosage, in some cases for treatment of certified propagation material. Also regulations on the use of alternatives or their lack of registration are preventing their uptake for a substantial proportion of the remaining CUNs for preplant soil use.

1.4.4 Registration of Alternatives for Preplant Uses - Decision Ex I/4 (9i) and (9j)

Decision Ex. I/4 (9i) requires MBTOC, “*To report annually on the status of re-registration and review of methyl bromide uses for the applications reflected in the critical-use exemptions, including any information on health effects and environmental acceptability*”. Further, Decision Ex I/4 (9j) requires MBTOC “*To report annually on the status of registration of alternatives and substitutes for methyl bromide, with particular emphasis on possible regulatory actions that will increase or decrease dependence on methyl bromide*”.

Where these have impacted a nomination, the party or MBTOC may have adjusted quantities to allow for effective use of the alternative. A description of any changes has been made available in the CUN text boxes (Tables 1.9 and 1.11).

Any future nominations submitted by Australia, Canada and the US should include information on expected rates of adoption of alternatives following registration, in accordance with paragraphs 34-35 of Annex 1 of the MOP16, as this information would assist MBTOC in its evaluation of these CUNs.

1.4.5 Decision XXV/4

In response to Decision XXV/4 from the 25th MOP, MBTOC notes that all of the non-A5 nominations contained a discussion of national, subnational or local regulations impacting the potential use of alternatives to MB. In addition, both Non-A5 and A5 nominations contained information on the status of the registration of alternatives and substitutes for MB. These comments are summarized below for each Party.

1.4.5.1 Regulations impacting use of alternatives by country

- **Australia:** Methyl iodide has been withdrawn by the registrant from Australia and is no longer available to the strawberry runner industry. BOC/Linde ceased funding research on Ethanedinitrile (EDN) for strawberry runners. Future development of EDN is uncertain. Nordiko is no longer pursuing registration of recaptured MB due to inconsistency of formulation. Meanwhile trials to generate registration data for an 80:20 mix of chloropicrin/1,3-D are underway. Australia has a certification program in place to assure the sanitation of strawberry runners. Only certain fumigants and rates are approved for use by the authorities. Three years of studies have not demonstrated bioequivalence, between 20g/m² of MB and standard rates of 25g/m², so registration of the lower rate is not proceeding. PicPlus®, while registered in Australia and part of an active research program, is not approved for use for certified runners at this time.
- **Canada:** Strawberry runners produced on Prince Edward Island are primarily exported to North Carolina in the USA. The runners must meet the phytosanitary requirements of Canada, the United States government and the North Carolina Department of Agriculture. Chloropicrin is still not permitted on Prince Edward Island and so is not available for use in strawberry runner production there. A protocol has been developed for a chloropicrin groundwater study. Depending on the results of the study, chloropicrin may be allowed for use on PEI in the future. 1,3-D was de-registered in Canada after December 31, 2011. Re-evaluation of MITC generators is ongoing. A groundwater warning statement is currently on Canadian labels, which prevents the use of these products on PEI.
- **USA:** Allyl isothiocyanate (AITC) is registered as a preplant soil fumigant for several crops in the US in September 2013. The registrant has expressed interest in registering AITC products in California, but has yet to submit an application. In accordance with California Department of Pesticide Regulation (CDPR) policy, a full risk assessment will be conducted prior to the registration of any new fumigants in California. CDPR has announced that there will no longer be exceptions to the 90,250 lb. township cap for 1,3-D products in high use strawberry townships, until the completion of an on-going risk assessment of 1,3-D, at which time a decision will be made whether to further limit or expand 1,3-D use in California.
- **China:** The only registered alternative to MB for ginger in China is chloropicrin and there are no mixtures of fumigants with chloropicrin registered, including MB.
- **Argentina:** Chloropicrin is not registered as a stand-alone product in Argentina, but combinations of 1,3-D/pic products are registered. Several MITC products (metam sodium, metam potassium, metam ammonium) are also available, however dazomet is not registered for edible crops.
- **Mexico:** Chloropicrin alone, 1,3-D/Chloropicrin mixtures, metam sodium and dazomet are registered in Mexico. Dimethyl disulfide (DMDS) is now registered in Mexico.

1.4.5.2 Health effects of MB use and environmental acceptability

Over the past two decades numerous studies have characterized the health hazards resulting from exposure to MB. Its acute and chronic toxicities are very high and in many countries it is classified as “toxicity class I”. It is known as a developmental, neurologic and respiratory toxin (Gemill *et al.*, 2013; de Souza *et al.*, 2013; Bulathsinghala *et al.*, 2014). Other known target organs are the heart, adrenal glands, liver, kidneys and testis (Gemill *et al.*, 2013).

Accidental exposure to high concentrations of MB has been reported in many instances including fumigation of museums in Japan (Yamano and Nakadate, 2006), when handling the fumigant in a manufacturing facility in India (de Souza *et al.*, 2013) and when opening imported freight containers (Baur *et al.*, 2010).

Recent research findings suggest links between exposure to MB and health problems, including increased risk of developing prostate cancer, derived from occupational and community exposure (Budnik *et al.*, 2012; Alavanja *et al.*, 2013; Cockburn *et al.*, 2011). In another study (Gemill *et al.*, 2013), a correlation was found between impaired foetal growth during the third trimester and exposure to MB in residential areas

Risk of exposure is especially high when small disposable canisters (i.e. 500 to 750g) are used for MB fumigation for pre plant soil under plastic sheets (Yamano *et al.*, 2001). Canister applications have been eliminated for soil use in all non-Article 5 and in many A5 countries as this application is considered to be less efficient than other methods for the control of soil borne pathogens. Besides, this treatment is considered to be more dangerous to workers than injection methods, because trained contractors are not generally involved in MB application. This practice is not considered as effective for pathogens’ control as use of MB/Pic mixtures and also can lead to high emissions of MB as the gas is released immediately beneath the plastic sheets. MBTOC notes with concern that canister use is still allowed for preplant use and quarantine uses in a number of A5 countries e.g. China, Egypt Jordan, Mexico.

National regulatory authorities in each country handle the environmental acceptability of MB.

1.4.6 Sustainable Alternatives for Preplant Uses

MBTOC urges Parties to consider the long term sustainability of treatments adopted as alternatives to MB. The combination of chemical and non-chemical alternatives in an IPM program provides excellent results in the longer term. Decision IX/6 1(a)(ii) refers to alternatives that are ‘*acceptable from the standpoint of environment and health*’. MBTOC has visited various regions where successful non-chemical alternatives e.g. soil less culture, grafting, solarisation, steam, biodisinfestation and anaerobic soil disinfestation, are used as sustainable alternatives to MB. Several Parties consider these techniques as viable alternatives, particularly when an integrated approach that combines different options is adopted.

MBTOC recognizes the potential benefit of the recent establishment of a California DPR “Strawberry Non Fumigant Workgroup” to evaluate and adopt further chemical and non-chemical technologies such as: anaerobic soil disinfestation, soilless substrate systems and steam (CDPR, 2013).

1.4.7 Standard Presumptions Used in Assessment of Nominated Quantities.

The tables below (Tables 1-6 and 1-7) provide the standard presumptions applied by MBTOC for this round of CUNs for preplant soil uses. These standard presumptions were first proposed in the MBTOC report of October 2005 and were presented to the Parties at 17th MOP. Studies and reports to support them have been provided in previous reports and were revised for some sectors after consideration by the Parties at the 19th MOP. The rates and practices adopted by MBTOC as standard presumptions are based on maximum rates considered acceptable by published literature and actual commercial practice.

As in the evaluations in previous years, MBTOC considered reductions to quantities of MB in particular nominations to a standard rate per treated area where technical evidence supported its use.

As a special case, MBTOC continues to accept a maximum rate of 200 kg/ ha (20 g/m²) in MB/Pic formulations with high Pic-containing mixtures with or without barrier films for certified nursery production, unless regulations prescribe lower or higher rates. However, MBTOC notes that studies have shown that rates of 200 kg/ha (20g/m²) or less of MB: Pic 50:50 are effective with barrier films for production of ‘certified’ nursery material and urge Parties to consider regulations which permit these lower rates. MBTOC also notes that certified runner production may involve regulations which specify the mandatory use of a fumigant such as MB or an alternative, in order for the runners to be “certified runners”.

The indicative rates used by MBTOC were maximum guideline rates, for the purpose of calculation only. MBTOC recognises that the actual rate appropriate for a specific use may vary with local circumstances, soil conditions and the target pest situation. Some nominations were based on rates lower than these indicative rates.

Table 1-6. Standard Presumptions Used in Assessment of CUNs for Preplant Soil Use of MB

	Comment	CUN adjustment	Exceptions
1. Dosage rates	Maximum guideline rates for MB:Pic 98:2 are 25 to 35 g/m ² with barrier films (VIF or equivalent); for mixtures of MB/Pic are 12.5 to 17.5 g MB/m ² for pathogens and nutsedge respectively, under barrier films depending on the sector. All rates are on a ‘per treated hectare’ basis.	Amount adjusted to maximum guideline rates. Maximum rates set dependent on formulation and soil type and film availability.	Higher rates accepted if specified under national legislation or where the Party had justified otherwise.
2. Barrier films	All treatments to be carried out under low permeability barrier film (e.g. VIF, TIF)	Nomination reduced proportionately to conform to barrier film use.	Where barrier film prohibited or restricted by legislative or regulatory reasons
3. MB/Pic Formulation: Pathogens control	Unless otherwise specified, MB/Pic 50:50 (or similar) was considered to be the standard effective formulation for pathogen control, as a transitional strategy to replace MB/Pic 98:2.	Nominated amount adjusted for use with MB/Pic 50:50 (or similar).	Where MB/Pic 50:50 is not registered, or Pic (Pic) is not registered
4. MB/Pic Formulation: Weeds/nutsedge ass control	Unless otherwise specified, MB/Pic 67:33 (or similar) was used as the standard effective formulation for control of resistant (tolerant) weeds, as a transitional strategy to replace MB/Pic 98:2.	Nominated amount adjusted for use with MB/Pic 67:33 (or similar).	Where Pic or Pic-containing mixtures are not registered
5. Strip vs. Broadacre	Fumigation with MB and mixtures to be carried out under strip	Where rates were shown in broad acre hectares, the CUN was adjusted to the MB rate relative to strip treatment (i.e. treated area). If not specified, the area under strip treatment was considered to represent 67% of the total area.	Where strip treatment was not feasible e.g. some protected cultivation, emission regulations on MB, or open field production of high health propagative material

Table 1-7. Maximum dosage rates for preplant soil use of MB by sector used since 2009 (standard presumptions).

Film Type	Maximum MB Dosage Rate (g/m ²) in MB/Pic mixtures (67:33, 50:50) considered effective for:			
	Strawberries and Vegetables	Plant Nurseries*	Orchard Replant	Ornamentals
Barrier films - Pathogens	12.5	15	15	15
Barrier films – Nutsedge	15.0	17.5	17.5	17.5
No Barrier films – Pathogens	20	20	20	20
No Barrier films - Nut sedge	26	26	26	26

* Maximum rate unless certification specifies otherwise

1.4.8 Adjustments for Standard Dosage Rates using MB/Pic Formulations

As in previous assessments, one key transitional strategy to reduce MB dosage has been the adoption of MB/Pic formulations with lower concentrations of MB (e.g. MB/Pic 50:50, 33:67 or less). These formulations are considered to be equally as effective in controlling soilborne pathogens as formulations containing higher quantities of MB (e.g. 98:2, 67:33) (Porter *et al.*, 2006; Santos *et al.*, 2007; Hamill *et al.*, 2004; Hanson *et al.*, 2006). MBTOC notes that reported use of MB/Pic formulations in the US shows that formulations with greater amounts of MB (CDPR, 2012a) are still being used in California and the Party is urged to consider even lower dosage rates of MB for the remaining CUN. This includes rates as low as 75 kg/ha (7.5 g/m²) with mixtures of 30:70 or 33:67 mixtures (at 250 kg/ha or 25 g/m²) or 100 kg/ha (10 g/m²) of MB in 250 kg/ha (25 g/m²) of 50:50 MB/Pic mixtures in conjunction with barrier films (Table 1-8).

Table 1-8. Actual dosage rates applied during preplant fumigation when different rates and formulations of MB/Pic mixtures are applied with and without barrier films. Rates of application reflect standard commercial applications rates.

Commercial application rates (kg/ha) of MB/Pic formulation	MB/Pic formulation (dose of MB in g/m ²)			
	98:2	67:33	50:50	30:70
A. With Standard Polyethylene Films				
400	39.2	26.8	20.0	12.0
350	34.3	23.5	17.5	10.5
300	29.4	20.1	15.0	9.0
B. With Low Permeability Barrier Films (LPBF)				
250	24.5	16.8	12.5	7.5
200	19.6	13.4	10.0*	6.0
175	17.2	11.8	8.8	5.3

* Note: Trials from 1996 to 2008 (previous CUN reports) show that a dosage of 10g/m² (e.g. MB/Pic 50:50 at 200kg/ha with low permeability barrier Films) is technically feasible for many situations and equivalent to the standard dosage of >20g/m² using standard PE films

1.4.9 Use/Emission Reduction Technologies - Low permeability barrier films and dosage reduction

Decision XXI/11 (para 9) requested further reporting on Decision IX/6 to ensure Parties adopted emissions controls where possible. For preplant soil use, this includes the use of barrier films or other mitigation strategies such as high moisture sealing and the lowest effective dose of MB with mixtures of chloropicrin. Other methods include deep shanking and use of ammonium thiosulphate and different irrigation technologies (Yates *et al.*, 2009). These latter technologies have not been reported or adopted widely by Parties.

In southeast USA the reported use of barrier films in vegetable crops, which expanded rapidly to over 20,000 hectares in 2009 has continued to increase. A recent change in the regulations – presently allowing use of VIF in California - should lead to an increase in the adoption of barrier films in that State. MBTOC notes that barrier films particularly more recently developed totally impermeable (TIF) films can be used with alternatives and this is consistently improving the performance of alternatives at lower dosage rates (Driver *et al.*, 2011; Fennimore *et al.*, 2011)]. Effectiveness at lower dosages can allow for greater areas to be treated with 1,3-D under township cap regulations.

As of December 1, 2012, EPA issued new set of soil fumigant product label changes, implementing important new protections for workers and bystanders. In the frame of these changes, the State of California now allows the use of VIF films for fumigation with MB, which were formerly prohibited (Cal DPR, 2012b & c; EPA, 2013). MBTOC is at this time unclear on the impact this change could have in terms of potential reduction of dose rates of MB and emission control. Studies continue to show the advantages of barrier films and other technologies for reducing emissions and improving efficacy of alternatives as well as MB (Quin *et al.*, 2013; Chellemi *et al.*, 2013).

Table 1-9. Interim evaluation of CUNs from non A5 Parties for preplant soil use submitted in 2014 for 2016

Country	Industry	CUE for 2005 ¹	CUE for 2006 ²	CUE for 2007 ³	CUE for 2008 ⁴	CUE for 2009 ⁵	CUE for 2010 ⁶	CUE for 2011 ⁷	CUE for 2012 ⁸	CUE for 2013 ⁹	CUE for 2014 ¹⁰	CUE for 2015 ¹¹	CUN for 2016	MBTOC Final Rec. for 2016
Australia	Strawberry runners	35.750	37.500	35.750	35.750	29.790	29.790	29.790	29.760	29.760	29.760	29.760	29.760	[29.760]
<p>MBTOC final recommendation for 2016:</p> <p>MBTOC recommends 29.760 t for MB use in this sector in 2016. This is on the understanding that funding for research has been restored and efforts to find alternatives continue. MBTOC notes that mixtures of existing fumigants, and new formulations of fumigants with PIC (i.e. TF80 and TF60), are being trialled, and if effective, expect these to be registered and adopted.</p> <p>Nomination by the Party for 2016:</p> <p>The quantity requested for this CUN is 29.760 t, an amount that has remained unchanged for this industry since 2009.</p> <p>Circumstances of the nomination by the Party:</p> <p>The Party states that the key pests affecting strawberry runner production are fungi (Phytophthora, Pythium, Rhizoctonia and Verticillium spp.) and weeds (S. arvensis, Agrostistenuis sp, Raphanus spp., Poa annua, Cyperus spp). The nomination is based on a particular soil and temperature situation: very high clay and organic matter content soils requiring fumigation treatments under cold temperatures.</p> <p>In its CUN the Party argues that runner production in these kind of conditions, treated with MB:Pic (50:50 at a MB dose of 25 g/m²) is needed to meet the certification standards. The Victorian runner industry only produces runners in soils treated with MB:Pic, and is not using any other methods other than substrates for the foundation stock production stage. Some non-chemical alternatives are not feasible. Plant resistance is unreliable as an alternative to MB:Pic for delivering certified runners (Fang et al. 2012). Integrated soil disinfestation with combinations of existing, registered fumigants is now considered the most likely and quickest approach for delivering a viable alternative to MB for the runner industry.</p> <p>Although MB rates used exceed MBTOC's standard presumption of 20 g/m², the lower rate is still unregistered in Australia. According to the Party, three years of trials with lower MB rates do not support bioequivalency of these rates.</p> <p>The Party insists that soil-less systems are not yet technically and economically feasible for adoption into generations beyond the foundation stock.</p> <p>A significant change since the last nomination is the fact that in December 2013, the federal government agency, Horticulture Australia Limited, confirmed co-funding for a new 3-year research program into MB alternatives for strawberry runners.</p> <p>MBTOC final assessment for MB use in this sector in 2016:</p> <p>MBTOC acknowledges that the Party has provided an economic analysis supporting their assertion that the expansion of the use of soilless substrates beyond the foundation stock is not economically feasible.</p> <p>The nomination indicates that funding for the R&D program has been confirmed in 2013, so the Party is back in accordance with Decision IX/6 (b) (i) and (iii). MBTOC notes that the Party is required to report the available results of its research programme to the Technology and Economic Assessment Panel for its consideration to the 36th OEWG as per Decision XXV/4. While MBTOC once more recognizes the Party's past efforts in research and development of MB alternatives (Mattner, 2012), these efforts have not resulted in significant commercial uptake of alternatives. Furthermore, there have been essentially no significant reductions made for this production region since 2005 and no reduction in</p>														

Country	Industry	CUE for 2005 ¹	CUE for 2006 ²	CUE for 2007 ³	CUE for 2008 ⁴	CUE for 2009 ⁵	CUE for 2010 ⁶	CUE for 2011 ⁷	CUE for 2012 ⁸	CUE for 2013 ⁹	CUE for 2014 ¹⁰	CUE for 2015 ¹¹	CUN for 2016	MBTOC Final Rec. for 2016
														<p>use rate as this is regulated by certification rules.</p> <p>MBTOC is aware that soilless production is technically suitable for at least some part of the nomination, as it is in other parts of the world i.e. Belgium (Robe 1997, 1998), Poland (Trader <i>et al.</i> 2007), France (Hennion <i>et al.</i>, 1997) and A5 countries e.g. Brazil (Janisch <i>et al.</i>, 2012, Oliveira <i>et al.</i>, 2010), Uruguay (Giménez <i>et al.</i>, 2008), and Paraguay (Nacimiento and Lopez- Medina, 2009). The nomination reiterates that industry does not consider further expansion of soil-less systems for the production of mother and certified runners as it is considered economically infeasible and reports technical problems on the foundation generation.</p> <p>MBTOC still considers that soil-less culture is a technique used widely throughout the world for production of strawberry runners and is technically and economically suitable for some of the certified nursery production system as well as stock plants resulting in healthy nursery material (López-Galarza <i>et al.</i>, 2010; Rodríguez-Delfín, 2012).</p> <p>MBTOC notes that after more than eleven years there is no action plan to phase out MB for this sector.</p> <p>MBTOC comments on economics in 2014 for 2016:</p> <ul style="list-style-type: none"> • A comprehensive economic analysis shows that while foundation stock can be done in a soil-less system, Mother and Certified stock cannot. The selling prices of Mother and Certified stock would have to increase almost 7 fold from A\$0.34 per runner to A\$2.03 and A\$2.00 per runner respectively to break even. • Both operating and capital costs are about five times higher with a soilless system than open field production. • The main reason is the capital cost of setting up the soilless system and a yield loss of around 18%. Prices are assumed to stay the same for the two procedures. • These differences do not include the compliance costs with municipal regulations, or the costs of waste treatment, but note that the costs of use of MB do not include the real cost of damage to the ozone layer. • Soilless systems are more labour intensive, and labour costs in Australia are very high. With MB/Pic pre-plant soil treatment harvesting is done by machine, while with a soilless system it will be done by hand. The additional labour cost is already included in the operating costs and is a large reason for the difference in operating costs. <p>Comments Requested in Dec. XX1/11 (para 9):</p> <ul style="list-style-type: none"> • Dec. IX/6 b(i) Emission Reduction: No, but the Party states that standard films perform the same as VIF for the reduction of emissions in the cold temperatures and heavy wet soils typical for strawberry runner production in Victoria. Party also states that use of VIF did not improve the efficacy of reduced rates of MB to an acceptable level for the strawberry runner industry. • Dec. IX/6 b(iii) Research Program: An approved and funded research program is currently in place at the time of this nomination. • Dec. IX/6 b(iii) Appropriate Effort: Research effort is adequate - funded research program currently in place at the time of this nomination.

Country	Industry	CUE for 2005 ¹	CUE for 2006 ²	CUE for 2007 ³	CUE for 2008 ⁴	CUE for 2009 ⁵	CUE for 2010 ⁶	CUE for 2011 ⁷	CUE for 2012 ⁸	CUE for 2013 ⁹	CUE for 2014 ¹⁰	CUE for 2015 ¹¹	CUN for 2016	MBTOC Final Rec. for 2016
Canada	Strawberry runners (PEI)	6.840	6.840	7.995	7.462	7.462	7.462	5.261	5.261	5.261	5.261	5.261	5.261	[5.261]
<p>MBTOC final recommendation for 2016:</p> <p>MBTOC recommends the nominated amount of 5.261 tonnes for use in this sector in 2016. MBTOC notes that the Party in its response to questions stated that it intends that 2016 is the final year for use of MB for strawberry runner production in Prince Edward Island, although this might depend on the outcomes of the Pic 100 groundwater study.</p> <p>Nomination by the Party for 2016:</p> <p>The Party has nominated 5.261 t of MB, which was similar to the CUE granted for 2015 and the previous year's CUEs since 2011. It is for use for multiplication on runners on 26.3 ha of land, which includes the two final stages of multiplication of plants exported from PEI. The nomination is based on a reduced rate of MB of 20 g/m² under high barrier films for the entire fumigated area (26.3 ha), which is consistent with MBTOC's standard presumptions.</p> <p>Circumstances of the nomination by the Party:</p> <p>The Party has attempted to replace MB with 1,3-D in the past, but it was banned for use in Prince Edward Island in January 2003 due to ground water contamination. Chloropicrin (PIC 100) is registered, but the PEI authorities have denied a permit for its use until further groundwater testing has been conducted. Long awaited studies on potential groundwater contamination of Pic 100 have finally been commenced in December 2013 and are anticipated to continue for two years, however the study has recently been put on hold². The Party is required to report preliminary results to the 36th OEWG as per Decision XXV/4. The company at PEI has tested organic production from 2006 - 2009 with different varieties, but found that significant reductions in yield resulted, ranging from 40% to 70%. Only one variety using the organic production system compared favourably to conventional production. MB:Pic 67:33 at 500 kg/ha is the only formulation and rate registered for use in strawberry runners in PEI, and although this exceeds MBTOC's standard presumption of 200 kg/ha, the grower petitioned PMRA to use a lower rate under barrier films. PMRA, in the absence of a formal label amendment, granted permission to use a lower rate, but at the grower's own risk and liability. The CUN for 2016 is based entirely on a reduced rate for MB of 200 kg/ha for the entire critical area (26.3 ha).</p> <p>The Party noted that at this time greatest effort is concentrated on the groundwater study with chloropicrin, as it is currently considered the most feasible alternative for the grower. The Party has also sought advice on soilless systems to reduce dependency on chemical fumigants.</p> <p>MBTOC final assessment for MB use in this sector in 2016:</p> <p>After thorough review of the information provided by the Party, MBTOC now understands that the use of micro-propagated plants from USA and the scale up into soilless</p>														

Country	Industry	CUE for 2005 ¹	CUE for 2006 ²	CUE for 2007 ³	CUE for 2008 ⁴	CUE for 2009 ⁵	CUE for 2010 ⁶	CUE for 2011 ⁷	CUE for 2012 ⁸	CUE for 2013 ⁹	CUE for 2014 ¹⁰	CUE for 2015 ¹¹	CUN for 2016	MBTOC Final Rec. for 2016
		<p>substrates for the first stage of multiplication of runners at PEI to produce approximately 60,000 runners have replaced or avoided the use of MB in stages for which MBTOC believes there are effective alternatives. The nomination is requesting MB for the final two multiplication stages. Canada considers the first stage of this field production and multiplication as foundation stock, however this is different nomenclature to other countries and this has caused some confusion in past years. Whilst soilless production is technically feasible for the later stages of production, MBTOC agrees from the information on economics that the use of soilless culture for the remaining runners is uneconomical and impractical. For this reason MBTOC agrees with the Party that the focus should be to find suitable alternatives for soil disinfestation and urges the Party to complete the groundwater studies to adopt chloropicrin either alone or in combination with other alternatives as soon as possible. MBTOC notes that metam sodium, metam potassium and dazomet are also registered in Canada and could be considered for use in PEI under permit. MBTOC suggests that future programs for runners at PEI consider these alternatives as it is unclear from the nomination whether these products are being considered as replacements to MB at PEI. MBTOC requested a copy of the review conducted by Canada on soilless production systems, but this has not been provided. This is important, particularly as soilless systems are evolving rapidly and future systems may be more economical. MBTOC also notes that MB formulations containing Pic (67:33) are used in PEI under permit without groundwater contamination apparently occurring and suggests a similar situation should be possible for Pic alone, which is not currently permitted.</p> <p>MBTOC comments on economics in 2014 for 2016:</p> <p>While the CUN is submitted on technical grounds, an economic argument is provided in response to MBTOC's recommendation of a 50% transition to soilless culture as a technically feasible alternative. Such a transition would imply high capital costs, but at a very small reduction (8%) in the required amount of MB. Production cost under the current practice is \$0.135 per second generation plant. Total cost under a soilless system is \$0.425 per second generation plant. Revenues stay the same as the price is the same (no improvement in quality is expected) and yields are not assumed to decline (unlike the Australian case). While MBTOC has recommended a cheaper soilless system, the party finds that the Australian alternative recommended by MBTOC is three times more expensive than the Haygrove system analysed in the CUN and therefore is still uneconomic.</p> <p>Comments requested in Dec. XX1/11 (para 9)</p> <ul style="list-style-type: none"> • Dec. IX/6 b(i) Emission Reduction: Yes, uses barrier films with a reduced application rate of MB conforming to MBTOC's presumptions • Dec. IX/6 b(iii) Research Program: A research program is proposed based on groundwater studies for Pic, a review has been conducted on the evaluation of soilless methods to improve feasibility and consideration of improvements in the production processes. • Dec. IX/6 b(iii) Appropriate Effort: The Party has demonstrated now that it is engaged in an active research program and is implementing groundwater studies. The party has also engaged a consultant to assist with full evaluation of any potential alternatives to MB. 												

Country	Industry	CUE for 2005 ¹	CUE for 2006 ²	CUE for 2007 ³	CUE for 2008 ⁴	CUE for 2009 ⁵	CUE for 2010 ⁶	CUE for 2011 ⁷	CUE for 2012 ⁸	CUE for 2013 ⁹	CUE for 2014 ¹⁰	CUE for 2015 ¹¹	CUN for 2016	MBTOC Final Rec. for 2016
United States	Strawberry (field)	2052.846	1730.828	1476.019	1349.575	1269.32	1007.477	812.709	678.004	461.186	415.067	373.660	231.540	[231.540]
<p>MBTOC final recommendation for 2016:</p> <p>MBTOC recommends the nominated amount of 231.540 tonnes for use in this sector for 2016. MBTOC acknowledges that the Party reduced the nomination by 38% from the amount approved for 2015. MBTOC also acknowledges the Party's statements, which align with Decision XXV/4, that this will be the final nomination for this sector in order to complete its intended transition from critical uses for MB by the end of 2016.</p> <p>Nomination by the Party for 2016:</p> <p>The Party nominated 231.540 t of MB for use in 2016 on 1,362 ha at a dosage rate of 170 kg/ha. The Party indicated that the proportion of total crop area to be treated with MB was 9.0%.</p> <p>Circumstances of the nomination by the Party:</p> <p>The CUN requests MB specifically for areas: 1) where a transition period is needed for the use of broadcast 100% chloropicrin in fields with high pest pressure, in particular, with <i>Macrophomina</i> and <i>Fusarium</i> and 2) where 1,3-dichloropropene (1,3-D) is limited by township caps.</p> <p>MBTOC final assessment for MB use in this sector in 2016:</p> <p>MBTOC agrees with the Party that alternatives are available for this nomination and acknowledges the Party has stated that this is the final year for transition. MBTOC endorses that alternatives are available for 100% of the nomination and notes that a recent meta-analysis in this sector supports this and previous findings (Belova <i>et al.</i>, 2013; Porter <i>et al.</i>, 2006). MBTOC also acknowledges the industries push to find more sustainable non-chemical alternatives as reported recently by Fennimore <i>et al.</i>, 2013. Key chemical alternatives include shank applied 1,3-D/Pic as well as other similar Pic mixtures, Pic alone or Pic in sequential application with MITC generators (KPam, Vapam, Dazomet) coupled with disease tolerant varieties of strawberries would be suitable to address a significant proportion of one or more of the 3 issues raised by the Party as a reason for the nomination (Belova <i>et al.</i>, 2013; Medina-Minguez, 2012; Noling and Cody 2011; Porter <i>et al.</i>, 2006; Zveibel <i>et al.</i>, 2012). MBTOC also notes that formulations with chloropicrin are the key chemical alternative effectively adopted in other regions of the world. MBTOC notes that the Party has accepted that the technical expertise required for application of 100% chloropicrin already exists in California and uptake of this method will be feasible by the end of 2016.</p> <p>MBTOC also notes that as of December 1, 2012, a new set of label changes went into effect for soil fumigant products, fully implementing important new protection for workers and bystanders. In light of these changes, the State of California now allows the use of barrier films (VIF and TIF) for MB fumigation, which was formerly prohibited (Cal DPR, 2012b & c; EPA, 2013). Studies continue to show the advantages of barrier films and other technologies for reducing emissions and improving efficacy of alternatives as well as MB (Qin <i>et al.</i>, 2013; Chellemi <i>et al.</i>, 2013; Luo <i>et al.</i>, 2013) and anticipate that the Party will continue to consider their adoption where feasible for this sector, either with the remaining MB use or with alternatives to minimise the environmental and health effects of their use as required in Decision XXV/4.</p>														

Country	Industry	CUE for 2005 ¹	CUE for 2006 ²	CUE for 2007 ³	CUE for 2008 ⁴	CUE for 2009 ⁵	CUE for 2010 ⁶	CUE for 2011 ⁷	CUE for 2012 ⁸	CUE for 2013 ⁹	CUE for 2014 ¹⁰	CUE for 2015 ¹¹	CUN for 2016	MBTOC Final Rec. for 2016
		<p>MBTOC comments on economics in 2013 for 2015:</p> <ul style="list-style-type: none"> • The CUN is based on the need for a transition period to move to 100% chloropicrin and regulatory (township cap) issues. • Economic data are provided and show that steam and chloropicrin both result in net revenues that are slightly higher than that of MB application • Total phase-out is planned for the 2017 season <p>Comments Requested in Dec. XX1/11 (para 9):</p> <p>Dec. IX/6 b(i) Emission Reduction: In California (high barrier) films are now allowed for use with MB and with alternatives and although they appear not to be used with MB, rates are below MBTOC's standard presumptions. Further emission reduction may be possible with their adoption for any remaining uses of MB.</p> <ul style="list-style-type: none"> • Dec. IX/6 b(ii) Research Program: Yes, there is an ongoing research program, but specific data justifying CUN requests need to be provided. • Dec. IX/6 b(iii) Appropriate Effort: California has extensive research programs being conducted and continual regulatory reviews on the use of MB and other fumigant alternatives in the State. MBTOC is unaware from the CUN application what efforts are being made to register some alternatives registered and being used in other areas of the USA (eg. Pic-Clor 60 and 80, DMDS in combination with Pic). 												

Table 1.10 Interim evaluation of CUNs from A5 Parties for preplant soil use submitted in 2014 for 2015.

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015										
Argentina	Tomato and Pepper	145	[0]										
<p>MBTOC final recommendation for 2015:</p> <p>MBTOC does not recommend this nomination for 2015.</p> <p>After the 34th OEWG, the Party provided detailed documentation of the production system for tomatoes and peppers in protected cropping in the two regions concerned in the nomination (La Plata and Mar del Plata). The Party clarified that the nomination is based on the need for MB because alternatives were not effective in clay soils and during the cold conditions in winter and owing to the internal pole structure used in the protected cropping areas.</p> <p>After reassessment of the subsequent information, MBTOC considered the nomination still lacked considerable information needed to make a complete assessment (e.g. historic crop area and MB usage, comparative performance of alternatives to MB, specific definition of the critical area). Also it did not provide any evidence (references) from Argentina, nor substantive references from other countries, to support that alternatives, which are currently available (i.e. 1,3-D/Pic, metam potassium, metam sodium, metam ammonium, grafting, substrate production) were not effective. A reference from USA was provided with the nomination about how to manage phytotoxicity issues with 1,3-D. As nearly all tomato and pepper industries worldwide have widely adopted alternatives to MB, and in consideration that no data was provided to identify the failure of all alternatives for the circumstance of the nomination, MBTOC was unable to recommend MB for this nomination. MBTOC also considered that the treatment temperatures in soil under protected cultivation would not prevent the use of alternatives given the climatic data provided by the Party. Improvements or altered cropping practices should allow for alternative treatments to be used when conditions are more favourable. MBTOC considered that the pole structure of the greenhouses was not a significant issue, as the alternatives use similar equipment to that of MB and any inconvenience would likewise apply to MB. The social issues presented by the Party are not regarded as unique and have been appropriately addressed by other Parties with similar situations.</p> <p>Nomination by the Party for 2015:</p> <p>The Party nominated 145 tonnes of MB for critical uses for tomato and pepper production in protected cultivation in the critical regions of Mar del Plata and La Plata. In its initial assessment, MBTOC requested disaggregation of this CUN (separate nominations for tomatoes and peppers) but the Party explained that this is not possible as these two crops are grown simultaneously or sequentially on the same land and fumigation generally applies to treatment prior to the tomato crop. The key pests are nematodes, fungi (<i>Rhizoctonia</i>, <i>Sclerotinia</i>, <i>Phytophthora spp.</i>), and weeds (<i>Cynodon</i> and <i>Cyperus spp.</i>). Rates of MB vary between 350 kg/ha to 500 kg/ha and MB/Pic70:30 formulations are used. In the new information provided to MBTOC, the Party also reported <i>Nacobus aberrans</i> (false root knot nematodes) to produce galls similar in appearance to those caused by (<i>Meloidogyne spp</i>) on field and vegetables crops in North and South America, however the economic importance is unknown.</p> <p>According to the Party, nine Argentinian provinces have mostly shifted to the use of alternatives. Within these provinces, only one province (La Plata and Mar del Plata) shows difficulties in replacing MB. No information on the alternatives used has been given. In some regions, ornamentals are grown with tomato, peppers and other crops. The Party did not report the alternatives used on these crops, particularly on vegetables.</p> <p>Circumstances of the nomination by the Party:</p> <p>The Party states that 1,3-D/Pic does not provide sufficient control of key pests in the critical areas, mainly due to soil types, which are heavy clay soils and soil temperatures (5 to 23C). Chloropicrin is not registered alone and does not control weeds. Metam sodium shows erratic and insufficient performance for weed and disease control most possibly</p>													

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
			<p>also due to soil type and weather conditions. Dazomet is not registered for edible crops and does not control nematodes. Steam boilers are not commercially available and are costly. Steam was trialled as an alternative through the MLF funded projects and found to be efficient but economically infeasible in this sector.</p> <p>MBTOC final assessment for MB use in this sector in 2015:</p> <p>The Party has not provided substantiation to support its claim that 1,3-D/Pic or other alternatives (i.e. metam sodium, metam potassium, metam ammonium, grafting, substrate production) are not effective under the particular circumstances of the nomination. MBTOC was unable to recommend without this information. The nomination did provide a reference citing how to manage phytotoxicity from drip irrigated 1,3-D/Pic in vegetable crops by extending plant back period (Desaeger and Csinos, 2005). Trials and results showing that non-chemical alternatives are not technically or economically feasible have also not been provided. MB also notes that the dose rate used by the Party appears to be 24.5 to 35.0 g/m² (350 to 500 kg/ha) and this exceeds MBTOC's standard presumptions for these crops.</p> <p>Different types of alternatives have been adopted to replace MB in tomatoes and peppers in many developed and developing countries around the world, in different climates and soil types. For example, grafting tomatoes and peppers onto resistant rootstocks is effective and in use in many A5 countries such as China, Egypt, Lebanon, Mexico, Morocco, Romania, Tunisia and Turkey (MBTOC, 2011). The Party acknowledges that grafting is a promising alternative and has conducted preliminary trials with excellent results, when combining grafted plants and biofumigation (Garbi <i>et al.</i>, 2013; Mitidieri <i>et al.</i>, 2005; Ducasse <i>et al.</i>, 2013; Martinez <i>et al.</i>, 2013; Chale <i>et al.</i>, 2013). 1,3-D/Pic is reported to provide excellent results and has been adopted as a key alternative in many countries (MBTOC, 2011). The performance of metam sodium has been shown to significantly improve when applied with a spading machine in different countries (ie Slusarski <i>et al.</i>, 2012).</p> <p>MBTOC notes that the Party has been supported by the MLF with a number of demonstration, investment and technical assistance projects since 1997 and that many alternatives have been trialled (MLF, 2014 a,b).</p> <p>MBTOC comments on economics in 2014 for 2015:</p> <p>The CUN assumes a substantial yield reduction in both tomatoes and peppers while prices and costs remain the same for both treatments (MB and the alternative) for both crops. Revenue reduction of 28% results from the use of alternatives. The reduction in revenue is partly due to a smaller drop in yield on the early crop, but mostly due to the impossibility of a late crop because of the waiting time between applications and planting.</p> <p>Comments requested in Dec. XX1/11 (para 9)</p> <ul style="list-style-type: none"> Dec. IX/6 b(i) Emission Reduction: Low impermeable films are not adopted but have been trialled through the projects Dec. IX/6 b(iii) MLF Assistance/Adoption of Effective Alternatives: Trials and research have been conducted through the MLF projects implemented in Argentina and also directly by national institutions (e.g. INTA, EEAOC) and various universities. No reference related to the research in Argentina was provided with the nomination. Dec. IX/6 b(iii) Appropriate Effort: MBTOC assumed considerable research has been conducted during the MLF funded projects but was unable to assess the research effort as no references or reports were provided of local R and D. 											

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
Argentina	Strawberry Fruit	100	[0]											
<p>MBTOC final recommendation for 2015:</p> <p>MBTOC does not recommend this nomination.</p> <p>After the 34th OEWG, the Party provided detailed documentation of the production system for strawberries in the three regions concerned in the nomination (Tucuman/Lules, La Plata and Mar del Plata). The Party clarified that the nomination is based on the stated need for MB because alternatives were not effective in clay soils and during the cold conditions in winter. The Party also reported that it was not economically feasible to convert fumigation with MB or an alternative every two years to annual treatment due to costs for fumigants, tarps and transplants and labour.</p> <p>After reassessment, MBTOC considered the nomination and subsequent information provided by the Party after the OEWG, but found that it still lacked considerable information needed to support the nomination (e.g. historic crop area and MB usage, specific definition of the critical area, comparative data of alternatives to MB). Also it did not provide any suitable references from Argentina, nor from the same sector in other countries, identifying that alternatives, which are currently available (i.e. 1,3-D/Pic, metam potassium, metam sodium, metam ammonium) were not effective. However, MBTOC is aware of a number of studies, which show that alternatives that are available in Argentina are effective in the specific regions of the nomination as cited below. Additionally, MBTOC did not consider that use of alternatives in the Tucuman/Lules region would cause a substantial change in harvesting time and consequent change in profitability as the plant back times for use of alternatives in this region were similar to those with MB (Del Huerto 2013).</p> <p>Nomination by the Party for 2015:</p> <p>The Party nominated 110 tonnes of MB for a critical use for strawberry fruit on 1,000 ha, which represents a MB rate of 110 kg/ha. This rate is lower than the reported used rates (350-500 kg/ha) in three key production regions, (Tucuman, Mar del Plata, La Plata). The key pests are fungi (<i>Phytophthora</i>, <i>Verticillium</i>, <i>Fusarium</i>), and weeds (<i>Cyperus</i>). A 70:30 MB:chloropicrin formulation is used.</p> <p>Circumstances of the nomination by the Party:</p> <p>The Party states that 1,3-D/Pic does not control the entire pest spectrum attacking strawberries and that metam sodium provides erratic results. According to the Party, challenges to the adoption of alternatives are mainly related to low soil temperatures and heavy rainfall at the time when fumigation needs to be performed for optimum yields and fruiting time. Chloropicrin alone is not registered and does not control weeds. Dazomet is not registered for edible crops. Methyl iodide, which proved effective in trials, is also not registered. Steam was evaluated as an alternative through various projects and was found to be technically effective but unsuitable for large, open field areas and economically infeasible.</p> <p>MBTOC final assessment for MB use in this sector in 2015:</p> <p>After the 34th OEWG, the Party provided more detailed information, especially of air, soil and rainfall data for the Mar del Plata and Tucuman regions. In its reassessment, MBTOC found it difficult to justify that these air and soil temperatures reported in the key regions were cold enough to prevent use of the key alternatives across the regions reported in the nomination. MBTOC also could not understand how the reported air temperatures led to the extremely low soil temperatures reported in the La Plata and Mar del Plata regions (-9.6 to -2.9°C) at 0.05m depth reported for the four cooler months (May to August) in winter, with air temperatures averaging 9 - 15°C at this time. MBTOC is aware that planting (preceded by fumigation) typically occurs in Tucuman in February - March (end of summer) depending on rainfall, and in Mar del Plata and La Plata somewhat later (April - May) although some growers may carry out spring plantings (August - November). Summer plantings reportedly achieve the best yields and the best</p>														

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
				<p>revenues for growers in the Mar del Plata region (Aldercreutz, 2014). MBTOC considered that only a small adjustment in planting times and subsequent effect on harvest times would be needed to avoid any plant back issues related to use of alternative fumigants in the Lules region.</p> <p>As noted above, the Party did not provide any additional information to substantiate that 1,3-D/Pic or other alternatives (i.e. metam sodium, metam potassium, metam ammonium) are ineffective under the particular circumstances of the nominated areas. On the contrary, MBTOC has found references indicating positive results with alternatives such as metam ammonium, 1,3-D/Pic, metam sodium and metam potassium in the critical regions: For example, Del Huerto, 2011 found no difference between the performance of MB and 1,3-D/Pic. Jaldo <i>et al.</i>,(2007) showed that 1,3-D/Pic injected into soil gave better yields than MB in Lules/Tucumán. Aldercreutz and Szczesny, (2008, 2010), showed that yields obtained in Mar del Plata with metam sodium and metam ammonium were comparable to those produced when fumigating with MB. Bórquez <i>et al</i> (2007) and Agüero and Bórquez (2007) found that weed control achieved with metam ammonium, metam sodium and metam potassium in Lules, was comparable to that obtained with MB 70:30 and that there were no significant differences in the total yields obtained with these treatments. Other studies confirmed these results (Bórquez y Mollinedo, 2009, 2010; Aldercreutz and Szczesny, 2008; Bórquez <i>et al</i>, 2007). MBTOC is unclear why these results are not applicable to the regions nominated.</p> <p>In addition, MBTOC notes that trials with soil-less culture in the same sector have shown encouraging results in Tucuman (Villagra <i>et al.</i>, 2012). Also some of the studies provided by Argentina to support the ineffectiveness of alternatives on related crops for other regions in the world, actually showed that alternatives were as effective as MB (e.g. Cebolla and Serrano 2010).</p> <p>MBTOC notes that the Party has been supported by the MLF with a number of demonstration, investment and technical assistance projects since 1997 and that many alternatives have been trialled and found successful in this sector (MLF, 2014 a,b).</p> <p>MBTOC comments on economics in 2014 for 2015:</p> <p>For the Mar del Plata region:</p> <ul style="list-style-type: none"> • The nomination assumes a yield reduction from 93 to 62 t/ha using 1,3-D + Pic because of heavy clay soils and low soil temperatures. No further information was provided. • From the yield reduction the nomination calculates a decline in gross revenue of one third as prices are assumed to be the same for the two treatments. • The nomination argues that operating costs for the two treatments are similar, but these are not shown. However, the CUN then contradicts and argues that weed control costs of 1,3-D Pic would be greater than for MB, as will conversion to a one year production system. In this case, yields are assumed to be lower (15-20%) and the costs of fumigants, tarps and transplants will be higher. However, these costs are not given. <p>For the Lules region:</p> <ul style="list-style-type: none"> • The nominees provide data on the movement in prices from the early harvest to late harvest. When the fruit that has been subjected to fumigation with MB comes on to the market in week 20, the average price received is US\$6/kg. Over the season the price declines-the last harvesting (in week 46) is sold at less than \$1. The total quantity delivered to market over this period (38.37 tonnes/ha) produces a total revenue of US\$64,765/ha at an average price of US\$1.669/kg. • However, when fumigation is with 1,3-D+Pic, the earliest that the fruit can be brought to market is week 31. Over the harvest period of weeks 31 to 50 an average price of US\$0.72/kg is received and results in total revenue of only US\$31,755/kg even though average production is higher at 44.15 tonnes/ha. • As with Mar del Plata, costs of production are expected to be similar for 1,3-D/Pic and MB. No other information is provided. • The difference in revenue per hectare exists only because of the long plant back time that has been assumed for the purposes of the calculations. This lengthy plant back time for 1,3-D/Pic of some 11 weeks is not consistent with the technical analysis above and would not be expected for 1,3-D/Pic without phytotoxicity. 										

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
	<p>Comments requested in Dec. XX1/11 (para 9)</p> <ul style="list-style-type: none"> Dec. IX/6 b(i)Emission Reduction: Low permeability films are available and have been trialled through the projects apparently with good results but are not yet adopted. A reference to lack of registration of TIF is made Dec. IX/6 b(iii)MLF Assistance/Adoption of Effective Alternatives: Trials and research have been conducted through the MLF projects implemented in Argentina and also directly by national institutions (e.g. INTA, EEAOC) and various universities. No reference related to the research conducted in Argentina was provided with the nomination. Dec. IX/6 b(iii)Appropriate Effort: MBTOC assumed considerable research has been conducted during the MLF funded projects but was unable to assess the research effort as no references or reports were provided by the Party of local R and D. 													
China	Ginger Open	90	90											
	<p>MBTOC final recommendation for 2015:</p> <p>MBTOC recommends the requested amount of 90 tonnes of MB for this use in 2015.</p> <p>Nomination by the Party for 2015:</p> <p>China nominated 90 tonnes of MB for critical uses for open air ginger production on 229.59 ha at the rate of 40g/m² for use in 2015 .The target pests are, <i>Ralstonia solanacearum</i>, <i>Pythium</i> spp. <i>Meloidogyne</i> spp and <i>Cyperus rotundus</i>. MB is used in regions where soil-borne pathogen pressure is high and this only represents a small percentage (0.29%) of the total ginger area. The request is only for ginger grown in the Shandong region where ginger is grown continuously and where pressure from the target pests is high.</p> <p>Circumstances of the nomination by the Party:</p> <p>China is using small disposable canisters of MB (681 g/canister), using standard polyethylene films. MB is applied in canisters (98:2), as cold gas at a rate of 400 kg/ha, which is below the rate registered in China. According to the Party, chloropicrin is the only chemical alternative registered in China for this sector. Chloropicrin did not provide effective control of <i>Meloidogyne</i> spp and <i>Cyperus rotundus</i>. In addition, chloropicrin causes phytotoxicity and needs longer fumigation time obliging farmers to postpone the planting time which affects yield, quality and marketing. However a recent study confirms that chloropicrin is a promising alternative with good efficacy against <i>Ralstonia solanacearum</i>, which can be used successfully in integrated pest management programmes in China (Mao <i>et al.</i>, 2014).</p> <p>In spite of their proven efficacy, the other chemical alternatives, 1,3-dichloropropene, dazomet, iodomethane, metam sodium, dimethyl disulfide and sulfuryl fluoride are not registered for use on soilborne pathogens in this sector in China. SF however has been shown to control root-knot nematodes and to reduce the levels of key soil pathogens in research trials (Aocheng <i>et al.</i>, 2014). Chloropicrin and 1,3 D have been formulated in capsules for trial work. Trials with Pic are encouraging (Mao <i>et al.</i>, 2014). The tested 1,3-D/Pic capsule formulation provides a promising method for soil pest and disease control and reducing environmental emissions and potential human exposure in greenhouse vegetable cultivation (XiaoXue <i>et al.</i>, 2013). Telone C-35 is an excellent MB alternative and has provided acceptable weed control efficacy (XiaoXue <i>et al.</i>, 2013), but this formulation is not registered.</p> <p>According to the Party, non chemical alternatives (crop rotation, bio-fumigation, solarization, steaming) are not technically and economically feasible. Barrier films (VIF and TIF) are produced in China, but are not used for ginger production due to their high cost and low efficacy under low temperatures. MB is applied every year during early spring or late autumn.</p>													

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
<p>MBTOC final assessment for MB use in this sector in 2015:</p> <p>MBTOC accepted the Party’s information that alternatives are not available for this nomination, particularly as 1,3-D is unavailable for use in China. MBTOC however notes that other countries which applied MB using canisters on a small scale basis have phased out for this sector (eg Japan). In China the registered MB application rate varies between 500 and 750 kg/ha (Aocheng, 2014). Although the amount requested is based on a use rate of 40g/m² (without VIF or TIF), the application is based on the use of canisters of MB which are less efficient than soil injection methods and thus the rate proposed is considered appropriate. This rate is higher than the rates used for ginger before in Japan , but the target pests in China, also include <i>Ralstonia</i> and nutgrass (<i>Cyperus</i>), which are more difficult to control. MBTOC considers that in the absence of effective alternatives MB/Pic 50:50 can be suitable for this sector, but China would need to develop technology to formulate and apply this formulation. MBTOC considers that barrier films should be used in future and urges the Party to consider accessing these films. MBTOC is also aware that chloropicrin combined with dimethyldisulphide or chloropicrin with fosthiazate have shown promising results (Aocheng, pers. comm.).</p> <p>MBTOC notes that the Party has been supported by the MLF with one demonstration project, three project preparation grants and one investment project consisting of eight tranches since 1994 and that many alternatives have been trialled. The funding received from the MLF was support for investment projects and committed the Party to phase out its whole MB consumption for controlled uses by the end of 2014 (MLF, 2014 ab).</p> <p>MB canisters are used because they provide small-scale farmers with an easy application method and the ability to apply targeted amounts of MB to small areas where injection machinery may be difficult to use (TEAP 2008). However, they have been eliminated for soil use in many Article 5 countries as this application is considered to be less efficient for the control of soil-borne pathogens than injection methods. Use of canisters is also considered to be more dangerous to workers because trained contractors are not involved in its application. This practice also leads to high emissions of MB.</p> <p>Even though the Party did not present any management strategy, it stated that they hoped to register more alternatives for ginger by 2018 to possibly be able to phase out by 2018. According to reports presented to the ExCom, satisfactory pest and disease control has been obtained in ginger crops with the combination of high dosages of chloropicrin, improved application methods of this fumigant and dazomet, and use of other chemicals and biological nematicides, in an IPM approach. PIC is used for soil fumigation in areas where the main ginger soil-borne pathogens <i>Pythium spp.</i> and <i>Ralstonia solanacerum</i> are main pests.</p> <p>MBTOC comments on economics in 2014 for 2015:</p> <ul style="list-style-type: none"> • Ginger prices have been increasing, so more farmers wish to produce it. Chloropicrin is the only registered alternative, but requires a long fumigation period and damages the ginger when applied in low temperatures. Besides, it does not control root-knot nematodes. With chloropicrin, planting time must therefore be postponed, and this affects yields, quality and time to market, resulting in a significant loss in net revenue. • Non-chemical alternatives include crop rotation, but land in China is scarce. Soilless systems require capital investment and trained farmers. Steam, is expensive. Other alternatives (soil disinfection, bio-fumigation) are technically infeasible given the particular growing conditions. • The Party argues that the price of ginger will be lower with chloropicrin (MB: \$9.02/kg; chloropicrin: \$6.89/kg) because of the root-knot nematodes impact on the product quality • Yield with MB is 96.45 tonne/ha, while with chloropicrin it is 86.22 tonne/ha, again because of the effect of root-knot nematodes. • Gross revenue with chloropicrin is 44% less than that of MB (because of the yield and price difference) • Net revenue is 25% of that of MB; put another way, net revenue has declined by well over two thirds. 														

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
	<p>Comments requested in Dec. XX1/11 (para 9)</p> <ul style="list-style-type: none"> Dec. IX/6 b(i) Emission Reduction: VIF and TIF are produced in China, but are not used for ginger production due to very high cost and low efficacy under low temperatures. MB is applied every year during early spring or late autumn. Dec. IX/6 b(iii) MLF Assistance/Adoption of Effective Alternatives: Research has been conducted on chemical alternatives (chloropicrin + DMDS, chloropicrin + fosthiazate and chloropicrin + avermectins). It is expected that some chemicals will be registered by 2018. China is trying also to develop the flame sterilization technology. Dec. IX/6 b(iii) Appropriate Effort: Yes considered appropriate as experiments are being conducted to register chemical alternatives by 2018. 													
China	Ginger Protected	30	[24]											
<p>MBTOC final recommendation for 2015:</p> <p>MBTOC recommends a reduced amount of 24 tonnes of MB for this use in 2015.</p> <p>MBTOC considers that the same rate of 40g/m² that is used for open field production of ginger in China should be feasible for ginger production in protected cropping as the pests are identical. MBTOC also considers that China produces and has trialed barrier films and that these films may be available in the future to further reduced dosage rates, and urges the Party to consider their adoption. China's current position is that these films do not provide an advantage in the cool soils used for ginger production in the Shandong region, however the barrier films do offer a means to further reduce emissions.</p> <p>Nomination by the Party for 2015:</p> <p>China nominated 30 tonnes of MB for Ginger production in protected cultivation (61.2 ha) at the rate of 50g/m² for use in 2015. This represents 12.24 % of the total ginger protected area. MB is applied annually. The target pests are similar to the open field production, i.e. <i>Ralstonia solanacearum</i>, <i>Pythium spp.</i> <i>Meloidogyne spp</i> and <i>Cyperus rotundus</i>. The request is only for ginger grown in the Shandong region where ginger is grown continuously and thus pressure from the target pests is high.</p> <p>Circumstances of the nomination by the Party:</p> <p>China is using small disposable canisters of MB (681 g/canister) for this use, using standard polyethylene films. It is applied as a cold gas (98:2), at a rate of 500 kg/ha. In China the registered MB application rate for canister use varies between 500 and 750 kg/ha (Aocheng, 2014). According to the Party, chloropicrin is the only chemical alternative registered in China for this sector. Chloropicrin did not provide effective control of <i>Meloidogyne spp</i> and <i>Cyperus rotundus</i>,. In addition, chloropicrin causes phytotoxicity and needs longer fumigation time obliging farmers to postpone the planting time which affects yield, quality and marketing. However, a recent study confirms that it is a promising alternative with good efficacy against <i>Ralstonia solanacearum</i>, which can be used successfully in integrated pest management programmes in China (Mao <i>et al.</i>, 2014)</p> <p>In spite of their proven efficiency, the other chemical alternatives 1,3-dichloropropene, dazomet, iodomethane, metam sodium and dimethyl disulfide and sulfuryl fluoride are not registered in China. Sulfuryl fluoride can be used as a soil fumigant to control root-knot nematodes and to reduce the levels of key soil pathogens (Aocheng <i>et al.</i> 2014). Chloropicrin and 1,3 D have been formulated in capsules, with Pic providing encouraging results (Mao <i>et al.</i>, 2014) The tested 1,3-D/CP gel cap formulation provides a promising method for soil pest and disease control and reducing environmental emissions and potential human exposure in greenhouse vegetable cultivation (XiaoXue <i>et al.</i>, 2013). Telone C-35 is an excellent MB alternative and has provided acceptable weed control efficacy (XiaoXue <i>et al.</i>, 2013).</p> <p>According to the Party, most of the reported non chemical alternatives (crop rotation, bio-fumigation, solarization, steaming) are not technically and economically feasible.</p>														

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
			<p>VIF and TIF are produced in China, but are not used for ginger production due to very high cost and low efficacy under low temperatures. MB is applied every year during early spring or late autumn.</p> <p>MBTOC final assessment for MB use in this sector in 2015:</p> <p>MBTOC accepted the Parties information that alternatives are not available for this nomination, particularly as 1,3-D is unavailable for use in China. MBTOC however notes that other countries which applied MB using canisters on a small scale use have phased out for this sector and have identified alternatives (eg Japan). MBTOC considered that a use rate should be brought in line with the outdoor ginger production as the target pests are similar i.e. 40g/m² (without VIF or TIF). MBTOC notes that the rate is higher than the rates used for MB applied by canisters for ginger in Japan before they phased out MB. MBTOC considers that in the absence of effective alternatives MB/Pic 50:50 would be suitable for this sector, but China would need to develop technology to formulate and apply this MB/Pic formulation. MB considers that barrier films should be used in future for this use and urge the Party to consider accessing these films. MBTOC is also aware that chloropicrin combined with dimethyl disulphide or chloropicrin with fosthiazate have shown promising results (Aocheng, pers. comm.).</p> <p>MBTOC notes that the Party has been supported by the MLF with one demonstration project, three project preparation grants and one investment project consisting of eight tranches since 1994 and that many alternatives have been trialled (MLF, 2014a). The funding received from the MLF was support for investment projects and was committed to phase out its whole MB consumption for controlled uses by the end of 2014 (MLF, 2014b).</p> <p>As noted for the ginger open field nomination, use of canisters of MB have been eliminated for soil use in many Article 5 countries as this application is considered to be less efficient for the control of soil-borne pathogens than injection methods. Use of canisters is also considered to be more dangerous to workers because trained contractors are not involved in its application. This practice leads also to high emissions of MB. Canisters are used because they provide small-scale farmers with an easy application method and the ability to apply targeted amounts of MB to small areas where injection machinery may be difficult to use (TEAP 2008).</p> <p>Even though the Party did not present any management strategy, the Party stated that they hoped to register more alternatives for ginger by 2018 to possibly be able to phase out by 2018. According to reports presented to the ExCom, satisfactory pest and disease control has been obtained in ginger crops with the combination of high dosages of chloropicrin, improved application methods of this fumigant and of dazomet and use of other chemicals and biological nematicides, and IPM. PIC is used for soil fumigation in areas where the main ginger soil-borne pathogens <i>Pythium</i> spp. and <i>Ralstonia solanacerum</i>. In many countries, soil less culture has proven to be an excellent alternative to MB for ginger in protected cultivation e.g. Hawaii, USA (Maine), Mauritius and India (Hayden <i>et al.</i>, 2004; Hepperly <i>et al.</i> 2004; Kratky, 1998; Mamta and Shraddha, 2013; Sato 1999; Sayed, 1984; Singh and Singh, 2012; Suhaimi <i>et al.</i>, 2012). MBTOC considers that this alternative should be considered in China for areas where MB is used for in ginger, especially in protected cultivation. The initial capital investment is not considered to be high because greenhouses are already available. Ginger farmers may also have available locally the basic systems of plastic bags, local substrate and adequate fertigation/irrigation systems for setup of these systems. Training for a centralized region is also considered not to be prohibitive. During the MBTOC meeting an overview of soil less culture for ginger production was presented and is available to the Party.</p> <p>MBTOC comments on economics in 2014 for 2015:</p> <ul style="list-style-type: none"> Ginger prices have been increasing, so more farmers wish to produce it. Chloropicrin is the only registered alternative, but requires a longer period for fumigation time, and damages the ginger when applied in low temperatures and does not control root-knot nematodes. With chloropicrin, planting time must therefore be postponed, and this affects yields, quality and time to market, resulting in a significant loss in net revenue. Non-chemical alternatives include crop rotation, but land is scarce and ginger is profitable, or soilless, which requires capital investment and more experienced farmers; or steam, which is expensive. Other alternatives (soil disinfection, bio-fumigation) are technically infeasible given the particular growing conditions. Argues that the price of ginger will be lower with chloropicrin (MB: \$9.02/kg; chloropicrin: \$6.89/kg) because of the quality impact of root-knot nematodes. Yield with MB is 96.45 t/ha, while with chloropicrin it is 86.22 t/ha, again because of the effect of root-knot nematodes. Gross revenue with chloropicrin is 44% that of MB (because of the yield and price difference). 											

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
				<ul style="list-style-type: none"> Net revenue is 25% of that of MB; put another way, net revenue has declined by well over two thirds. <p>Comments requested in Dec. XX1/11 (para 9)</p> <ul style="list-style-type: none"> Dec. IX/6 b(i) Emission Reduction: VIF and TIF are produced in China, but are not used for ginger production due to very high cost and low efficacy under low temperatures. MB is applied every year during early spring or late autumn. Dec. IX/6 b(iii) MLF Assistance/Adoption of Effective Alternatives: Research trials within the MLF-funded investment project commenced in this sector in 2008 and will be completed in 2014. Promising results have been obtained. Additionally, active research is being conducted on chemical alternatives (chloropicrin + DMDS, chloropicrin + fosthiazate and chloropicrin + avermectin). It is expected that some chemicals will be registered by 2018. China is trying also to develop the flame sterilization technology. Dec. IX/6 b(iii) Appropriate Effort: Yes, considered appropriate as experiments are being conducted to register chemical alternatives by 2018. 										
Mexico	Raspberries	70	[41.418]											
				<p>MBTOC final recommendation for 2015:</p> <p>MBTOC recommends 41.418 t tonnes of MB for use in raspberry nurseries for 2015.</p> <p>After the 34th OEWG, MBTOC received additional data on historic MB consumption from the Party, as well as an update on results of trials conducted in the 2012/ 2013 season showing encouraging results with alternatives. Such results are expected to be further consolidated and confirmed through trials now under way (2014/ 2015). The Party accepted the interim recommendation and did not request a reassessment.</p> <p>This amount does not allow for the contingency amount requested for projected growth of the industry in 2014 and 2015 and the nomination was reduced accordingly. MBTOC based the decision on the actual amount of MB reportedly consumed in the most recent year of actual consumption of 2013 in the original nomination. MBTOC considers that in view of the positive results showing feasibility of alternatives, rapid adoption should follow.</p> <p>Nomination by the Party for 2015:</p> <p>The quantity requested for this CUN is 70 tonnes, for use in raspberry nursery stock production in the Jalisco and Michoacan States. MB formulations applied are 50:50, broadcast, in dosages of 200 kg/ha, once a year and normally not under VIF. This rate however conforms to MBTOC's standard presumption for nursery material.</p> <p>Circumstances of the nomination by the Party:</p> <p>The raspberry nursery industry in Mexico is evolving, and small low/medium technology production systems now coexist with large "professional" nursery producers similar to those found in California. The industry previously sourced transplants from California for many raspberry growers in Mexico. The transition includes confronting many of the same challenges facing California and the EU to produce raspberry nursery stock that meets the high health standards demanded by the marketplace. Trials of MB alternatives were recently initiated in 2012 and are showing encouraging results (SEMARNAT 2014 c).</p> <p>This new industry is growing rapidly and the land area requiring MB is expected to continue to increase while the additional field trials are ongoing. The Party is requesting increased MB in anticipation of the expanded acreage for this industry.</p>										

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
			<p>The Party states that the key pests affecting strawberry runner production are the fungi <i>Phytophthora</i>, <i>Pythium</i>, <i>Fusarium</i>, <i>Rhizoctonia</i>, <i>Verticillium</i>, <i>Colletotrichum</i>, and weeds such as <i>Cyperus</i> spp and <i>Malva neglecta</i>.</p> <p>Available alternatives -according to the nomination- cannot control target pests adequately to meet “market standards”, although no certification thresholds are established or required by regulation. However, a research program was put in place in 2012 and showed promising results especially with 1,3D + chloropicrin; and chloropicrin + metam sodium, followed by metam sodium alone. A new round of trials began in 2013/14 to obtain additional data about the efficacy of the alternatives (López Aranda <i>et al.</i>; 2012; Cotero <i>et al.</i>, 2013; SEMARNAT – UNIDO; 2013, 2014 b,c). The Party anticipates that soilless systems would be expensive and require a significant investment as infrastructure does not exist.</p> <p>MBTOC final assessment for MB use in this sector in 2015: MBTOC acknowledges that an active research program was recently initiated and recognizes that additional time is needed to conduct trials to gain confidence in the efficacy of the alternatives under Mexican conditions.</p> <p>MBTOC accepts that a quantity of MB is required for this industry at present and has used the most recent usage for the recommendation. MBTOC however considers the request for increased MB in anticipation of a potential increase in acreage to be a contingency request, rather than a request based on the current circumstances of the nomination. MBTOC does not recommend contingency requests. MBTOC notes that some parties have adopted a policy that they will not nominate MB for the purpose of increasing the acreage of a specific industry. MBTOC encourages this party to consider adopting a similar policy.</p> <p>MBTOC notes that the Party has been supported by the MLF with a number of demonstration, investment and technical assistance projects across a range of sectors (MLF, 2014 a,b) although trials for the raspberry nursery sector only recently commenced and research has not yet concluded (SEMARNAT-UNIDO, 2014 b, c).</p> <p>MBTOC comments on economics in 2014 for 2015:</p> <ul style="list-style-type: none"> • Because MB alternatives are not yet used commercially for raspberry nurseries in Mexico, there is still limited information on their cost and feasibility, especially because nursery production requires cleaner plants than fruiting fields. • Data on the production costs with MB are however provided for future comparison. • For strawberries the cost of application of chloropicrin and 1.3D-Pic is roughly comparable to that of MB, while application of metam sodium is around a third of the cost • For raspberries only the cost of MB application is available. <p>Comments Requested in Dec. XX1/11 (para 9):</p> <ul style="list-style-type: none"> • Dec. IX/6 b(i) Emission Reduction: Most growers do not use barrier films (VIF or TIF), although some growers are beginning to try it. The research program includes low permeability films. The formulation of MB/Pic is 50:50, which contributes to emission reduction. • Dec. IX/6 b(iii) MLF Assistance/Adoption of Effective Alternatives: Trials in an MLF project commenced in this sector in 2011/2012 and will be completed in 2014. Promising results have been obtained. • Dec. IX/6 b(iii) Appropriate Effort: Research effort is adequate. 											

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
Mexico	Strawberries	70	[43.539]											
<p>MBTOC final recommendation for 2015:</p> <p>MBTOC recommends 43.539 t of MB for use in strawberry nurseries for 2015.</p> <p>After the 34th OEWG, MBTOC received additional data on historic MB consumption for this sector from the Party and no further information. The Party indicated that it accepted the interim recommendation and did not request a reassessment.</p> <p>In its interim recommendation MBTOC did not recommend the contingency amount requested for projected growth of the industry in 2014 and 2015 and the nomination was reduced accordingly. MBTOC based the decision on the actual amount of MB reportedly consumed in the most recent year of actual consumption of 2012 in the original nomination. MBTOC considers that in view of the positive results showing feasibility of alternatives, rapid adoption should follow.</p> <p>Nomination by the Party for 2015:</p> <p>The quantity requested for this CUN is 70 tonnes, for use in strawberry runner production in the Jalisco and Michoacan States. MB formulations applied are 50:50, broad acre, in dosages of 200 kg/ha, once a year and normally not under VIF.</p> <p>Circumstances of the nomination by the Party:</p> <p>The strawberry nursery industry in Mexico is evolving, and small low/medium technology production systems now coexist with large “professional” nursery producers similar to those found in Spain and California that were previously the source of transplants for many berry growers in Mexico. This transition includes confronting many of the same challenges facing Spain, California, Australia, and Canada to produce strawberry runners that meet the high health standards demanded by the marketplace. Trials of MB alternatives were recently initiated in 2012, and are showing encouraging results.</p> <p>This new industry is growing rapidly and the land area requiring MB is expected to continue to increase while the additional trials are ongoing. The party is requesting increased MB in anticipation of the expanded acreage for this industry.</p> <p>The Party states that the key pests affecting strawberry runner production are the fungi <i>Phytophthora</i>, <i>Pythium</i>, <i>Fusarium</i>, <i>Rhizoctonia</i>, <i>Verticillium</i>, <i>Colletotrichum</i>, and weeds such as <i>Cyperus</i> spp and <i>Malva neglecta</i>. Nematodes and <i>Macrophomina</i> were specifically excluded as problems, for the moment, in the Party’s responses to MBTOC.</p> <p>Available alternatives -according to the nomination- cannot control target pests adequately to meet “market standards”, although no certification thresholds are established or required by regulations. However, a research program was put in place in 2012 and showed promising results especially with 1,3D + chloropicrin; and chloropicrin + metam sodium, followed by metam sodium alone. A new round of trials began in 2013/14 to obtain additional data on the efficacy of the alternatives (López Aranda <i>et al.</i>; 2012; Cotero <i>et al.</i>, 2013; SEMARNAT – UNIDO, 2013). The Party anticipates that soilless systems would be expensive and require significant investment as the required infrastructure does not exist.</p> <p>MBTOC final assessment for MB use in this sector in 2015:</p> <p>MBTOC acknowledges that the active research program was recently initiated and recognizes that additional time is needed to conduct trials to determine the efficacy of alternatives under Mexican conditions. MBTOC notes that although the nominating industry is recent and uses more sophisticated management approaches, there are traditional nurseries in the country that do not use MB fumigation at all (INIFAP; 2011).</p>														

Country	Industry	CUN for 2015	MBTOC Final Recommendation for 2015											
			<p>MBTOC considers the request for increased MB in anticipation of a potential increase in acreage to be a contingency request, rather than a request based on the current circumstances of the nomination. MBTOC does not recommend contingency requests and has adjusted the recommendation to remove the contingency amount of MB. MBTOC notes that some Parties have adopted a policy that they will not nominate MB for the purpose of increasing the acreage of a specific industry.</p> <p>MBTOC notes that the Party has been supported by the MLF with a number of demonstration, investment and technical assistance projects across a range of sectors (MLF, 2014a,b) although trials for the strawberry nursery sector only recently commenced and research has not yet concluded (SEMARNAT-UNIDO, 2014 a).</p> <p>MBTOC comments on economics in 2014 for 2015:</p> <p>The nomination was not based on economic arguments.</p> <p>Comments Requested in Dec. XX1/11 (para 9):</p> <ul style="list-style-type: none"> • Dec. IX/6 b(i) Emission Reduction: Most growers do not use VIF or TIF, although some growers are beginning to try it. The research program includes low permeability films. Formulation is 50:50 which contributes to emission reduction. • Dec. IX/6 b(ii) MLF Assistance/Adoption of Effective Alternatives: Trials in an MLF project commenced in this sector in 2011/2012 and will be completed in 2014. Promising results have been obtained. • Dec. IX/6 b(iii) Appropriate Efforts: Research effort is adequate. 											

¹ExMOP and 16MOP; ²16MOP+2ExMOP+17MOP; ³MOP17+MOP18; ⁴MOP18+MOP19; ⁵MOP19+MOP20; ⁶MOP20+MOP21; ⁷MOP21+MOP22; ⁸MOP22, ⁹MOP23, ¹⁰MOP24, ¹¹MOP25

1.5 Final evaluation of CUNs: Structures and Commodities

A group of MBTOC members, appointed by the co-chairs, assessed the single remaining CUN in the SC sector submitted in 2014 for 2016 (US dry cure pork). Discussion was later held in plenary to discuss the proposed recommendation and reach consensus. Information provided during the bilateral discussion held via teleconference with the US delegation and experts on alternatives to MB for cured ham were considered in the course of the assessment.

1.5.1 Standard rate presumptions

MBTOC assessed the SC CUN for appropriate MB dosage rates and deployment of MB emission/use reduction technologies, such as appropriate sealing techniques.

Decision IX/6 requires that critical uses should be permitted only if ‘*all technically and economically feasible steps have been taken to minimise the critical use and any associated emission of methyl bromide*’. Decision Ex.II/1 also mentions emission minimisation techniques, requesting Parties “...to ensure, wherever methyl bromide is authorised for critical-use exemptions, the use of emission minimisation techniques that improve gas tightness or the use equipment that captures, destroys and/or reuses the methyl bromide and other techniques that promote environmental protection, whenever technically and economically feasible.”

With the beginning of the CUN process in 2005, MBTOC published its standard presumptions for structures (20g m⁻³) and indicated that the European Plant Protection Organization’s (EPPO) published dosage rates for commodities should be considered standard best practice for fumigation worldwide. Since that time all Parties submitting CUNs stated their adherence to those practices. The EPPO dosage rates for commodity treatment vary by commodity, sorption rate and environmental conditions. They can be found in annexes to the MBTOC 2006 Assessment Report (MBTOC, 2007). Where possible, reduced dosages, combined with longer exposure periods, can reduce MB consumption, while maintaining efficacy (MBTOC 2007).

1.5.2 Details of the evaluation

The total MB volume nominated in 2014 for post-harvest uses in 2016 was 3.240 t. MBTOC recommended 3.240 tonnes (Table 1.11 and 1.12). Table 1-12 provides the MBTOC-SC interim recommendation for the CUN submitted.

Table 1-11. Summary of the interim recommendations for a CUE for postharvest uses of MB (t) for 2016 submitted in the 2014 round.

Country and Sector	Nominated in 2014 (t)	Recommended for 2016 (t)
United States - Dry cure pork	3.240	[3.240]
Total	3.240	[3.240]

Table 1-12. Interim evaluation of CUNs from non A5 Parties for structures and commodities submitted in 2014 for 2016

Country	Industry	CUE for 2005 ¹	CUE for 2006 ²	CUE for 2007 ³	CUE for 2008 ⁴	CUE for 2009 ⁵	CUE for 2010 ⁶	CUE for 2011 ⁷	CUE for 2012 ⁸	CUE for 2013 ⁹	CUE for 2014 ¹⁰	CUE for 2015 ¹¹	CUN for 2016	MBTOC Final Rec. for 2016
United States	Dry Cure Pork	67.907	40.854	18.998	19.669	18.998	4.465	3.73	3.730	3.730	3.730	3.240	3.240	[3.240]
<p>MBTOC final recommendation for 2016:</p> <p>MBTOC recommends 3.240 t, the amount nominated by the Party for use in US Southern dry cure pork in long storage in 2016.</p> <p>Nomination by the Party for 2016:</p> <p>The Party nominated 3.240 t, the same amount granted by the Parties for this use in 2015.</p> <p>Circumstances of the nomination:</p> <p>Presently, there is still no commercially effective and economically feasible alternatives to MB for the specialised disinfestation of ham houses containing Southern dry cure pork, a unique regional, traditional product, that is stored (cured) for long periods. Previous reductions in MB consumption have been achieved through improvements in fumigation practice, reduced curing time and reduced frequency of fumigation. The nomination states that there is no further scope for reduction through similar changes. The pests of this product are the red-legged ham beetle (<i>Necrobia rufipes</i>) and the ham mite (<i>Tyrophagus putrescentiae</i>), with the mite being particularly difficult to control to US food hygiene standards (nil tolerance on inspection). Many ham houses using short curing times do not now use MB fumigation.</p> <p>There is an ongoing multi-university, multi-state research program, which is focused on improving processing sanitation, IPM and pest control through a variety of possible fumigants and physical processes (Amoah <i>et al.</i>, 2012; Phillips, 2013a, b). The Party has previously reported processors and researchers were trying steam cleaning, use of approved disinfectants with acaricidal properties, dips and coatings, to protect hams in store. The results of investigations with various alternative fumigants and nonchemical treatments on the ham mite <i>Tyrophagus putrescentiae</i> have not yet been fully successful (e.g. Abbar <i>et al.</i>, 2012, 2013; Zhao <i>et al.</i>, 2012a, b). Recently, a commercial trial was carried out with phosphine applied as magnesium phosphide for mite control (Phillips, 2013c). While this was successful in controlling the mites, corrosion damage to exposed electronics in the houses was unacceptable.</p> <p>Southern dry cure pork processors only fumigate when the pests, or signs of the pests, are present.</p> <p>MBTOC final assessment for MB Use in this sector in 2016:</p> <p>The US has a continuing and robust research program into MB replacement for this specific situation and commodity. A number of promising lines of investigation have been identified. These include various dips, some insecticide formulations and sulfuryl fluoride fumigation with added heat. No effective and viable replacements on a commercial scale have been identified at this time, though use of phosphine appears most promising with some modifications in application technique. MBTOC notes that there are well-known techniques for preventing phosphine-related corrosion, including sealing and other protection of the susceptible components. There appears to be scope for further reduction in frequency of treatment through better pest monitoring and fumigation techniques. MBTOC notes that recapture is not currently used for reduction of emissions in the absence of alternatives and that there are recapture units commercially available.</p>														

Country	Industry	CUE for 2005 ¹	CUE for 2006 ²	CUE for 2007 ³	CUE for 2008 ⁴	CUE for 2009 ⁵	CUE for 2010 ⁶	CUE for 2011 ⁷	CUE for 2012 ⁸	CUE for 2013 ⁹	CUE for 2014 ¹⁰	CUE for 2015 ¹¹	CUN for 2016	MBTOC Final Rec. for 2016
		<p>MBTOC comments on economics in 2014 for 2016: The CUN rests on technical infeasibility, so no economic analysis was conducted.</p> <p>Comments requested in Dec. XX1/11 (para 9)</p> <ul style="list-style-type: none"> • Dec. IX/6 b(i) Emission Reduction: The CUN states that improvements in sealing and fumigant containment have been made. • Dec. IX/6 b(iii) Research Program: There is an ongoing program testing and trialling promising alternatives • Dec. IX/6 b(iii) Appropriate Effort: see above 												

¹ExMOP and 16MOP; ²16MOP+2ExMOP+17MOP; ³MOP17+MOP18; ⁴MOP18+MOP19; ⁵MOP19+MOP20; ⁶MOP20+MOP21; ⁷MOP21+MOP22; ⁸MOP22, ⁹MOP23, ¹⁰MOP24, ¹¹MOP25

1.6. Activity Report 2013 and Workplan for 2014

1.6.1. Activity report for 2014

- Initial summarisation of the 2014 CUNs (initial sorting and recording carried out by the Secretariat).
- Preparation of questions for Parties. Assessment of responses received from Parties.
- First meeting of MBTOC (in full) March 31-April 4, 2014 (Stellenbosch, South Africa) for assessment of CUNs (soils and SC). Bilateral meetings were held by teleconference with the USA.
- Interim recommendations were agreed. The committee prepared the CUN Interim Report and the 2014 Progress Report (including QPS) for consideration by the 34th OEWG.
- At the 34th OEWG (Paris, 14- 18 July, 2014) presented CUN and Progress Report outcomes, and conducted bilateral meetings with Australia and Argentina, and held discussions with South Africa..
- A second MBTOC meeting was held August 18-22, 2014 to finalize CUN assessments (soils and SC), and to progress drafting of the quadrennial Assessment Report.
- MBTOC prepared the final CUN report for consideration by the Parties at their 26th Meeting in November 2014.
- In view of the membership term ending in 2014 as per Decision XXIII/18 four MBTOC members indicated not wishing to continue as members of the committee and resigned. These members were James Wells (US), Chris Bell (UK), Riccardo Deang (Philippines), Robert Taylor (UK)

The following “Actions” and “Indicative Completion Dates” are the “Working procedures of MBTOC relating to the evaluation of nominations for critical uses of MB”, as described in Annex 1 of the 16th Meeting of the Parties. The annual work plan is required to be drawn up by MBTOC (supported by the Ozone Secretariat) in consultation with TEAP, which shall submit it to the Meeting of the Parties each year.

1.6.2. Work plan and indicative budget for 2015

Tasks and actions	Indicative budget needs where applicable	Indicative completion date	Dates of meetings
1. Parties submit their nominations for critical-use exemptions to the Secretariat*	-	24 January 2015	
2. The nominations are forwarded to MBTOC co-chairs for distribution to the subgroups of appointed members	-	7 February 2015	
3. Nominations in full are assessed by the subgroups of appointed members. The initial findings of the subgroups, and any requests for additional information are forwarded to the MBTOC co-chairs for clearance	-	28 February 2015	
4. MBTOC co-chairs forward the cleared advice on initial findings and may request additional information on to the nominating Party concerned and consult with the Party on the possible presumption therein	-	21 February 2015	
5. Nominating Party develops and submits its response to the MBTOC co-chairs	-	7 March 2015	
6. MBTOC Meeting No 1 <ul style="list-style-type: none"> • Meets as usual to assess nominations, including any additional information provided by the nominating Party prior to the MBTOC meeting under action 5 and any additional information provided by nominating Party through pre-arranged teleconference, or through meetings with national experts, in accordance with paragraph 3.4 of the terms of reference of TEAP (see Annex I of MOP16, Dec XVI/4) • Bilateral meetings 	Funds for travel of 1 non-A5 member: US\$3,000** Meeting Costs \$3,000	March – April 2015	Philippines (tentative)

Tasks and actions	Indicative budget needs where applicable	Indicative completion date	Dates of meetings
<ul style="list-style-type: none"> To discuss and finalise the CUN evaluation process proposed by the co-chairs and commented by the MBTOC members To discuss any new or standard presumptions that MBTOC seeks to apply in its future assessment of critical-use nominations, for approval by the Meeting of the Parties Any administrative changes to improve the operations of the Committee, within the scope of Decisions that have been agreed by the Parties Draft the 2015 Progress Report 			
7. MBTOC provides its draft recommendations on the CUNs to TEAP		April, 2015	
8. TEAP Meeting: To assess the MBTOC report on critical-use nominations and submits the finalised interim report on recommendations and findings to the Secretariat.		April 2015	Kyoto, Japan (tentative)
9. The Secretariat posts the finalised report on its web site and circulates it to the Parties	-	May 2015	
10. OEWG Bilateral Discussions: Nominating Party has the opportunity to consult with MBTOC on a bilateral basis in conjunction with the Open-ended Working Group meetings		June - July 2015 (TBD)	TBD
11. The nominating Party submits further clarification for the critical-use nomination requested by MBTOC or if requested to do so by the Open-ended Working Group, and provides additional information should it wish to appeal against a critical-use nomination recommendation by MBTOC/TEAP	-	Depending on OEWG date	
12. MBTOC Meeting No 2 or agreed email process (according to feasibility and justification of a second meeting): <ul style="list-style-type: none"> Meets to reassess only those critical-use nominations in the “unable to assess” category, those where additional information has been submitted by the nominating Party and any critical-use nominations for which additional information has been requested by the Open-ended Working Group (see Annex I of MOP16, Dec XVI/4) Finalise the report, including notice of any proposed new standard presumptions to be applied by MBTOC Conduct any bilateral consultations requested by Parties Draft work plan and budget for MBTOC for 2015 	Funds for travel of 1 non-A5 member**: US\$3,000 Meeting costs: \$US 3,000	September-October 2015	TBD
13. MBTOC drafts final report considered by TEAP, finalised and made available to Parties through the Secretariat	-	Sept - October 2015 depending on MOP dates	
14. 27 th Meeting of the Parties			November 2015
Total budget:	US \$: 12,000* US\$ 6,000 (Travel of Non Article 5 member) Meeting Costs \$6,000		

* CUNs from A5 Parties could be submitted

** Travel funds for non A5 members have been requested in the past but not granted

1.7 References:

- Abbar, S., Schilling, M. W., Phillips, T. W. 2012. Protecting hams from the mite *Tyrophagus putrescentiae* using food safe approaches. In: Obenauf, G. (ed.), Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions, MBAO conference. www.mbao.org, 44-1.
- Abbar, S., Zhao, Y., Schilling, Y. M., Phillips, T. 2013. Chemical alternatives for suppressing the ham mite *Tyrophagus putrescentiae*. In: Obenauf, G. (ed.), Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions, MBAO conference. www.mbao.org, 44-1.
- Adlercreutz, E.G.A. y A. Szczesny, 2008. Tratamiento de suelos alternativos al Bromuro de Metilo en el cultivo de frutilla (*Fragaria x ananassa* Duch.) realizadas por el proyecto Tierra Sana en el cinturón hortícola de Mar del Plata. XXXI Congreso Argentino de Horticultura; 30 de septiembre al 3 de octubre de 2008.
- Adlercreutz, E.G.A. y A. Szczesny, 2010. Evaluación de tratamientos alternativos al Bromuro de metilo realizados en el mismo período productivo en el cultivo de frutilla (*Fragaria x ananassa* Duch.) por el Proyecto Tierra Sana en el Cinturón Hortícola de Mar del Plata. XXXIII Congreso Argentino de Horticultura; 28 de septiembre al 1 de octubre de 2010; Horticultura Argentina 29(70): Sep.-Dic. 2010
- Aldercreutz, E. 2014. Producción e ingreso bruto de frutilla según fecha de plantación. INTA Mar del Plata. <http://inta.gob.ar/noticias/como-realizar-una-buena-plantacion-de-frutillas/> Agüero, J.J. y A.M. Bórquez, 2007. Evaluación del uso de metam sodio, amonio y potasio como desinfectantes de suelo en frutilla, en Lules, Tucumán. XXX Congreso Argentino de Horticultura; 25 al 28 de septiembre de 2007; Horticultura Argentina 26(61): Jul.-Dic. 2007
- Alavanja, M.C.R., M.K. Ross, and M.R. Bonner 2013. Increased cancer burden among pesticide applicators and others due to pesticide exposure. *CA Cancer J. Clin.* 63: 120-142.
- Amoah, B., M. W. Schilling, T. W. Phillips. 2012. IPM as an alternative for the ham mite, *Tyrophagus putrescentiae*: monitoring with traps. Annual International Research Conference on Methyl Bromide Alternatives and Emission Reduction, Orlando, FL, November 6th-8th , 45
- Aocheng, 2014 pers comm.
- Aocheng C., MeiXia G., DongDong Y., LianGang ,M., QiuXia W, Yuan L, XiaYu D., PeiSheng , W., 2014. Evaluation of sulfuryl fluoride as a soil fumigant in China. *Pest Management Science*; 2014. 70(2):219-227.
- Baur, X., B. Poschadel and L. T. Budnik, 2010. High frequency of fumigants and other toxic gases in imported freight containers – an underestimated occupational and community health risk. *Occup. Environ. Med* 67: 207 – 2012.
- Belova, A., T. Narayan and I. Olkin, 2013. Methyl bromide alternatives for strawberry and tomato pre-plant uses: A meta-analysis. *Crop Protection* 54: 1-14
- Budnik, L.T., S. Kloth, M. Velasco-Garrido and X. Baur, 2012. Prostate cancer and toxicity from critical use exemptions of methyl bromide: Environmental protection helps protect against human health risks. *Env. Health* 11: 5-17.
- Bórquez, A.M. y J.J. Agüero, 2007. Evaluación del 1,3 dicloropropeno + cloropicrina y de la utilización del polietileno VIF con dosis reducida de bromuro de metilo 70:30 en la desinfección de suelo para el cultivo de frutilla, en Lules, Tucumán. XXX Congreso Argentino de Horticultura; 25 al 28 de septiembre de 2007; Horticultura Argentina 26(61): Jul.-Dic. 2007
- Bórquez, A.M. y Mollinedo, V.A., 2009. Evaluación del uso del yoduro de metilo, metam sodio y metam amonio como alternativas al bromuro de metilo para la desinfección de suelo en frutilla. XXXII Congreso Argentino de Horticultura; 23 al 26 de septiembre de 2009; *Horticultura Argentina* 28(67): Sep.-Dic. 2009
- Bórquez, A.M. y Mollinedo, V.A., 2010. Evaluación de alternativas al bromuro de metilo como desinfectante de suelo en el cultivo de frutilla en Lules (Tucumán). XXXIII Congreso Argentino de Horticultura; 28 de septiembre al 1 de octubre de 2010; Horticultura Argentina 29(70): Sep.-Dic. 2010
- Bulathsinghala, AT and Shaw, IC. 2014, The toxic chemistry of methyl bromide ; *Human & Experimental Toxicology* ; 2014 33: 81. The online version of this article can be found at <http://het.sagepub.com/content/33/1/81> CalDPR, 2013. Californian Department of Pesticide Regulation 2013. <http://www.cdpr.ca.gov/>
- CDPR, 2013. California Department of Pesticide Registration. Non-fumigant strawberry production working group. http://www.cdpr.ca.gov/docs/pestmgt/strawberry/work_group.htm
- CDPR 2012a. California Department of Pesticide Regulation 2012 <http://www.cdpr.ca.gov/>
- CDPR 2012b. California Department of Pesticide Regulation 2012b; Addendum to the Field Fumigation Study Guide; Pest Management and Licensing Branch; Licensing and Certification Program; Sacramento, CA; Nov. 2012. http://www.cdpr.ca.gov/docs/license/pubs/fieldfum_studyguide_addendum.pdf

- CDPR, 2012c. California Department of Pesticide Regulation 2012c; Methyl Bromide Field Fumigation Recommended Permit Conditions; <http://www.cdpr.ca.gov/docs/county/cacfltrs/penfltrs/penf2012/2012atch/attach2102.pdf>
- Cebolla, V. and Serrano, F. 2009. Enhanced efficacy of soil disinfestation treatments with 1,3-Dichloropropene and chloropicrin under low temperature conditions for strawberry mother plants. *Acta Hort. (ISHS)* 842:977-980 http://www.actahort.org/books/842/842_217.htm
- Chale, W., M. Etcheverry, L. Génova, P. Etchevers, L. Calvo and R. Andreau. 2013. Ensayo comparativo de rendimiento de cinco injertos de tomate con copa Elpida en suelos con nemátodos conducidos bajo cubierta plástica en La Plata. *Horticultura Argentina* 32: Sep.-Dic. 2013
- Chellemi, D.O., Mirusso, J., Ajwa, H.A., Sullivan, D.A., Unruh, J.B., (2013) Fumigant persistence and emission from soil under multiple field application scenarios; *Crop Protection* 43, pp. 94-103
- Cockburn M., P. Mills, Z. Zhang X, G.D. Ritz, 2011. Prostate Cancer and Ambient Pesticide Exposure in Intensive Agricultural Areas in California. *Am. J. Epidemiol.* 173(11):1280-8.
- Cotero M.A., Urbina S., Estrada J.F., Espinosa P.I., Gómez F., Zamora E.R., Castellá G, Soria C. and López-Aranda J.M. 2013; Demonstrations on MB alternatives for strawberry in Mexico. 2010-2013 results; MBAO 2013.
- De Souza, A., K. P.S. Narvencar and K.V. Sindhoora, 2013. The neurological effects of methyl bromide intoxication. *J. Neurol. Sci* [335\(1\)](https://doi.org/10.1016/j.jns.2013.01.011): 36-41
- Del Huerto Sordo, A. 2013. Se cultivaron 414 hectáreas de frutilla en la Provincia de Santa Fé. *Boletín INTA*, 2013.
- Desaeger, J. and A. Csinos 2005. Phytotoxicity associated with drip-applied 1,3-Dichloropropene and chloropicrin in vegetables produced with plastic mulch. *HortScience* 40(3): 700 – 706.
- Driver, J., Welker, R., Louws, F., 2011. Totally impermeable films for fumigant rate reduction in North Carolina. In: *Proc Ann Int Res Conf on MeBr Alternatives and Emission Reductions*. San Diego, CA, Oct. 31–Nov. 2, 2011. Abstr. 16
- Ducasse, A., M. Garbi, G. Morelli, M. Grimaldi, J. Somoza, A. Carbone, C. Cerisola, and S. Martínez 2013. Características de híbridos de tomate utilizados como pie de injerto cultivados en suelos con nemátodos. *Horticultura Argentina* 32: Sep.-Dic. 2013
- EPA 2013; Pesticides: Reregistration/Tarps; available at <http://www.epa.gov/pesticides/tarpcredits/>
- Fang, X., Phillips, D., Verheyen, G., Li, H., Sivasithamparam K., Barbetti, M.J., 2012. Yields and resistance of strawberry cultivars to crown and root diseases in the field, and cultivar responses to pathogens under controlled environment conditions. *Phytopathologia Mediterranea* 51 (1), pp. 69-84
- Federal Register 2013. EPA. Volume 78, Number 140. Protection of Stratospheric Ozone: The 2013 Critical Use Exemption From the Phaseout of Methyl Bromide. <http://www.gpo.gov/fdsys/pkg/FR-2013-07-22/html/2013-17569.htm>
- Fennimore S., T. Miller¹, R. Goodhue, N. Dorn, J. Broome J. Muramoto, C. Shennan and F. Martin. Evaluation of an automatic steam applicator in strawberry: 2012-13 results 2013 Annual International Research Conference on Methyl Bromide Alternatives and Emission Reduction, San Diego, California, 11-11-3
- Fennimore, S., Samtani, J., Subbarao, K., 2011. Soil disinfestation in strawberry with steam. Annual International Research Conference on Methyl Bromide Alternatives and Emission Reduction, Orlando, FL, November 2011.
- Garbi, M., G. Morelli, N. Dietz, G. Rossomano y S. Martinez, S 2013. Respuesta de tres híbridos de tomate injertados sobre Maxifort cultivados en suelo biofumigado. XXXVI Congreso Argentino de Horticultura; 24 al 26 de septiembre de 2013; *Horticultura Argentina* 32(79): Sep.-Dic. 2013
- Gemill, A., R.B. Gunier, A. Bradman, B. Eskenazi and K.G. Harley, 2013. Residential proximity to methyl bromide use and birth outcomes in an agricultural population in California. *Env. Health Persp.* 121(6): 737 - 744
- Giménez, G., Andriolo, J. L., Janisch, D., Godoi, R. 2008. Closed soilless growing system for producing strawberry bare root transplants and runner tips. *Pesquisa Agropecuária Brasileira* 2008 43 (12), pp. 1757-1761
- Hamill, J.E., Dickson, D.W., T-Ou, L., Allen, L.H., Burrelle, N.K., Mendes, M.L., 2004. Reduced rates of MBR and C35 under LDPE and VIF for control of soil pests and pathogens. In: *Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions* 31 October - 3 November, 2004, Orlando, Florida, USA, pp. 2-1
- Hanson, B., J. Gerik, Schneider, S., 2006. Evaluation of reduced methyl bromide rates and alternative fumigants in field grown perennial crop nurseries. In: *Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions*, Orlando, Florida, USA, 2006

- Hayden A.L., Lindy A. Brigham L.A., Gene A. Giacomelli G.A. Aeroponic Cultivation of Ginger (*Zingiber officinale*) Rhizomes. 2004. Proc. VII IS on Prot. Cult. Mild Winter Climates Eds. D.J. Cantliffe, P.J. Stoffella & N. Shaw Acta Hort. 659, ISHS 2004
- Hepperly P., Zee F., Kai R., Arakawa C., Meisner M., Kratky B., Hamamoto K., and Sato D., 2004 Producing Bacterial Wilt-Free Ginger in Greenhouse Culture. Soil and Crop Management, June 2004, SCM-8. Cooperative extension service . College of tropical agriculture and human resources. University of Hawaii at Manoa
- Hennion, B.; Schupp, J.; Longuesserre, J., 1997. Fraissimotte®: a strawberry plug plant developed by CIREF in France. *ActaHorticulturae* , No. 439 pp. 469-474 .Proceedings of the third international strawberry symposium, Veldhoven, Netherlands, 29 April-4 May, 1996. Volume I.
- INIFAP; 2011; “Tecnología para sembrar viveros de fresa”; México.
- Janisch, D. I., Andriolo, J. L., Toso, V., Santos, K. G. F. dos, Souza, J. M. de, 2012. Nitrogen for growth of stock plants and production of strawberry runner tips. *Bragantia* 71 (3), pp. 394-399
- Jaldo, H.E.; Foros, A.C. y Ale, J. 2007. Ensayo de alternativas químicas al bromuro de metilo. Lules, Tucumán. Valdez, EEA; Obispo Colombres; Tucumán, Argentina.; XXX Congreso Argentino de Horticultura; 25 al 28 de septiembre de 2007; Horticultura Argentina 26(61): Jul.-Dic. 2007
- Kratky, B.A. 1998. Experimental non-circulating hydroponic methods for growing edible ginger. Proceedings 27th National Ag Plastics Congress. Tucson, Arizona, USA. Feb 18-21, Pp 133-137.
- López-Aranda, J.M.; Urbina, S.; Castellá, G.; Estrada, J.F.; Cotero, M.A. 2012. Large Plot Demonstrations for Methyl Bromide Alternatives on Strawberry in Baja California, Mexico. *Acta Hort.* (ISHS), 926: 415-422.
- Lopez-Aranda, J., Miranda, L., Soria, C., Domínguez, P., Pérez-Jiménez, R.M., Zea, T., Talavera, M., Romero, F., Santos, B., de los, Medina-Mínguez, J.J., 2009. Strawberry production in Spain: Chemical alternatives to MB, 2009 results. Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions. November 10-13, San Diego, California
- López-Galarza, S., San Bautista, A., Martínez, A., Pascual, B., Maroto, J.V., 2010. Influence of substrate on strawberry plug plant production. *Journal of Horticultural Science and Biotechnology* 85 (5), pp. 415-420
- Luo L., Yates S., Ashworth D., Xuan R., Ole Becker; J. (2013). Effect of Films on 1,3-Dichloropropene and Chloropicrin Emission, Soil Concentration, and Root-Knot Nematode Control in a Raised Bed. *Journal of Agricultural and Food Chemistry*, 2013, 61; 2400–2406
- Mamta D. S, Shraddha V. A. , 2013 . A review on plant without soil :hydroponics. *IJRET*, March, 299 – 304. Available @ <http://www.ijret.org/>
- Mao, L., Q. Wang, D. Yan, T. Ma, P. Liu, J. Sen, Y. Li, C. Ouyang, M. Guo and S. Cao 2014. Evaluation of chloropicrin as a soil fumigant against *Ralstonia solanacearum* in ginger (*Zingiber officinale* Rosc.) production in China. *PLoS ONE* 9(3): e91767 doi:10.1371/journal.pone.0091767
- Martínez, S., G. Morelli, M. Garbi, M. Barrenechea, S. Notar, and M. Ludueña 2013. Evaluación del efecto de diferentes portainjertos de tomate sobre la respuesta de un híbrido comercial. *Horticultura Argentina* 32: Sep.-Dic. 2013
- Mattner, S.W., Gounder, R.K., Porter, I.J., Mann, R.C., de Boer, D., Williams, E., Guijarro, B., Rose, G., Allen, D., Horner, I.J., Allison, C., Coram, S., Fraser, P., Reiss, R., and Taylor, P. 2012. *Maintaining biosecurity standards for soilborne pathogens and weeds in the strawberry runner industry*. Horticulture Australia Limited, Final Report, Project No. BS07014. Sydney, NSW.
- MBTOC, 2007. Methyl Bromide Technical Options Committee. 2006 Assessment Report. UNEP, Nairobi, Kenya
- MBTOC, 2011. Methyl Bromide Technical Options Committee., 2010 Assessment Report. UNEP, Nairobi, Kenya
- Medina-Mínguez, J.J., Miranda, L., Domínguez, P., Soria, C., Pérez-Jiménez, R.M., Zea, T., Talavera, , López-Aranda, J.M., 2012. Chemical and non-chemical alternatives to methyl bromide on strawberry in Huelva (Spain): 2008-2010 results .*ActaHorticulturae* 926 , pp. 637-644
- Mitidieri, M. S., M.V. Brambilla, M. Piris, E. Piris, E. and L. Maldonado 2005. El uso de portainjertos resistentes en cultivo de tomate bajo cubierta: resultados sobre la sanidad y el rendimiento del cultivo. INTA Argentina
- MLF, 2014a. Multilateral Fund Secretariat for the Montreal Protocol. Policy 71 Plans to December 2013. Montreal, Canada, 845 pp (pdf document)
- MLF, 2014b. Multilateral Fund Secretariat for the Montreal Protocol. MB Projects Database. Montreal, Canada, 154pp (pdf document)
- Nacimiento, Z.; López-Medina, J., 2009. Strawberry production in Paraguay. *Acta Horticulturae*, 842, pp. 635-638

- Noling, J.W., Cody, M. 2011. USDA-ARS Areawide Project: Large scale field demonstration trialling of methyl bromide alternatives in Florida strawberry 2010-11. Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions (2011). <http://mbao.org/2011/Proceedings/26NolingJAREAWIDE.pdf>
- Oliveira, C.S., Cocco, C., Andriolo, J.L., Bisognin, D.A., Erpen, L., Franquez, G.G. 2010. Production and quality of strawberry transplants in different nitrogen concentrations in soilless growing system. *Revista Ceres* 57 (4), pp. 554-559
- Phillips, T. W. 2013a. Chemical alternatives for suppressing the ham mite *Tyrophagus putrescentiae*: In: Obenauf, G. (ed.), Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions, MBAO conference. www.mbao.org
- Phillips, T. W. 2013b. Trapping the ham mite *Tyrophagus putrescentiae* with a food bait. In: Obenauf, G. (ed.), Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions, MBAO conference. www.mbao.org
- Phillips, T. W. 2013c. Fumigation alternatives for the ham mite *Tyrophagus putrescentiae*: Challenges and prospects. In: Obenauf, G. (ed.), Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions, MBAO conference. www.mbao.org
- Porter, I.J., Trinder L., Partington, D., 2006. Special Report Validating the Yield Performance of Alternatives to Methyl Bromide for Preplant fumigation. TEAP/MBTOC Special Report, UNEP Nairobi, May 2006, 97 pp.
- Qiao, K., Z. Yukun, W. Hongyan, J. Xiaoxue and W. Kaiyun 2012. Effects of 1,3-dichloropropene as a methyl bromide alternative for management of nematode, soil-borne disease, and weed in ginger (*Zingiber officinale*) crops in China. *Crop Protection* 32 (2012) 71 - 75
- Qin R., Gao S., Ajwa H. (2013). Emission and distribution of fumigants as affected by soil moistures in three different textured soils. *Chemosphere*, 90, pp. 866–872
- QiuXia W, , DongDong Y. , LianGang ,M., TaoTao M., , PengFei L., ZhuanFang W., Yuan ,L., MeiXia G., AoCheng C., 2013. Efficacy of 1,3-dichloropropene plus chloropicrin gelatin capsule formulation for the control of soilborne pests. *Crop Protection*; 2013. 48:24-28. 40
- Robbe, A., 1997. Soilless propagation of strawberry plants. *Fruit Belge* 65(466), pp. 62-68
- Robbe, A., 1998. Strawberry culture. Propagation of quality planting stock in soilless culture. *Fruit Belge* 66 (472), pp. 53-56
- Rodríguez-Delfín, A. 2012. Advances of hydroponics in Latin America. *Acta Horticulturae* 947, pp. 23-32
- Santos et al, 2007
- Sato D., 1999. Reducing methyl bromide in preplant soil treatment for ginger root. MBAO conference
- Sayed, S. I., 1984: Ginger cultivation by hydroponics as part of soilless culture development in Mauritius. Proceedings, sixth international congress on soilless culture, Lunteren, 547-558
- SEMARNAT- UNIDO 2014 a. National Methyl Bromide phase-out plan. Protocol for the evaluation of alternatives for the substitution of methyl bromide use in the strawberry nursery sector. Agricultural season 2013-2014. 7p
- SEMARNAT-UNIDO 2014 b. National Methyl Bromide phase-out plan. Protocol for the evaluation of alternatives for the substitution of methyl bromide use in the raspberry nursery sector. Agricultural season 2013-2014. 7p
- SEMARNAT-UNIDO 2014c. National Methyl Bromide phase-out plan. Evaluation report of the alternatives for the replacement of methyl bromide use in raspberry nursery. Agricultural season 2012-2013. 19p.
- SEMARNAT – UNIDO; 2013; Report of the evaluation of alternatives for the substitution of methyl bromide use in the strawberry nursery sector; Ciudad Guzmán, Jalisco, México; 2012 – 2013 agricultural season; National Methyl Bromide Phase Out Plan - Mexico
- Singh, S. and Singh, B. S..2012. Hydroponics – A technique for cultivation of vegetables and medicinal plants!. In. Proceedings of 4th Global conference on Horticulture for Food, Nutrition and Livelihood Options. Bhubaneshwar, Odisha, India. p.220.
- Slusarski, C., J. Ciesielska, E. Malusà, B. Meszka and P. Sobiczewski, 2012. Metam sodium , metam potassium and dazomet. Sustainable use of chemical fumigants for the control of soil-borne pathogens in the horticultural sector. Research Institute of Horticulture, Skierniewice, Poland 16 pp.
- Suhaimi Y.M. , Mohamad A.M. , S. Mahamud S. and Khadzir D., 2012. Effects of substrates on growth and yield of ginger cultivated using soilless culture. *J. Trop. Agric. and Fd. Sc.* 40(2) 159-168
- TEAP 2008 . TEAP Progress Report, UNEP Nairobi, October 2008

- Trader, W., Klamkowski, K., Tryngiel-Gac, A., (2007). Investigations on greenhouse hydroponic system for production of strawberry potted plantlets. Proceedings of the International Symposium on Advances in Environmental Control, Automation and Cultivation Systems for Sustainable, High-Quality Crop Production under Protected Cultivation, IHC 2006, Seoul, Korea, 13-19 August 2006. Acta Horticulturae 761, pp. 115-119
- Villagra, E.L., Minervini, M.G., Brandán, E.Z., (2012); Determination of response in strawberry (*Fragaria × ananassa* Duch. 'Camarosa') to different nutritions in conventional agriculture on soil and soilless in vertical sleeves; Acta Hort. 947: 173-178
- XiaoXue J., Kang Q , Sa D, HongYan W , XiaoMing X.,, Wang KaiYun W 2013. Effects of 1,3-dichloropropene plus chloropicrin on weed seed germination. Crop Protection; 2013. 45:1-5.
- Yamano, Y., T. Nakadate 2006. Three occupationally exposed cases of severe methyl bromide poisoning: Accident caused by a gas leak during the fumigation of a folklore museum. J. Occup. Health 48: 129 - 133
- Yamano, Y., J. Kagawa, S. Ishizu and O. Harayama, 2001. Three cases of acute methyl bromide poisoning in a seedling farm family. Industrial Health 39: 353 - 358
- Yates, S., Papierknik S., Chellemi, D., Wang, D., Gao, S., Hanson, B., Ajwa, H., Browne, G., Kluepfel, D., 2009. Update of film permeability measurements for USDA-ARS area-wide research project. In: Annual International Research Conference on MB Alternatives and Emissions Reductions, Nov. 10-13, San Diego, 2009
- Zhao, Y., Phillips, T. W., Aikins, M. J., Mikel, W. B., Schilling, M. W. 2012a. Sensory evaluation and pest mortality of dry cured ham fumigated with phosphine in a simulated ham aging house. In: Obenauf, G. (ed.), Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions, MBAO conference. www.mbao.org, 78-1 - 78-3.
- Zhao, Y., Phillips, T. W., Abbar, S., Mikel, W. B., Schilling, M. W. 2012b. Effects of various food-grade coatings on mite mortality and sensory quality of dry cured ham. In: Obenauf, G. (ed.), Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions, MBAO conference. www.mbao.org, 77-1 - 77-3.
- Zveibil, A., Mor, N., Gnayem, N., 2012 Survival, Host–Pathogen Interaction, and Management of *Macrophomina phaseolina* on Strawberry in Israel. Plant Disease 96, pp. 265- 272

ANNEX I: Decision IX/6

1. *To apply the following criteria and procedure in assessing a critical methyl bromide use for the purposes of control measures in Article 2 of the Protocol:*

- (a) *That a use of methyl bromide should qualify as “critical” only if the nominating Party determines that:*
 - (i) *The specific use is critical because the lack of availability of methyl bromide for that use would result in a significant market disruption; and*
 - (ii) *There are no technically and economically feasible alternatives or substitutes available to the user that are acceptable from the standpoint of environment and health and are suitable to the crops and circumstances of the nomination;*
- (b) *That production and consumption, if any, of methyl bromide for critical uses should be permitted only if:*
 - (i) *All technically and economically feasible steps have been taken to minimise the critical use and any associated emission of methyl bromide;*
 - (ii) *Methyl bromide is not available in sufficient quantity and quality from existing stocks of banked or recycled methyl bromide, also bearing in mind the developing countries’ need for methyl bromide;*
 - (iii) *It is demonstrated that an appropriate effort is being made to evaluate, commercialise and secure national regulatory approval of alternatives and substitutes, taking into consideration the circumstances of the particular nomination and the special needs of Article 5 Parties, including lack of financial and expert resources, institutional capacity, and information. Non-Article 5 Parties must demonstrate that research programmes are in place to develop and deploy alternatives and substitutes. Article 5 Parties must demonstrate that feasible alternatives shall be adopted as soon as they are confirmed as suitable to the Party’s specific conditions and/or that they have applied to the Multilateral Fund or other sources for assistance in identifying, evaluating, adapting and demonstrating such options;*

2. *To request the Technology and Economic Assessment Panel to review nominations and make recommendations based on the criteria established in paragraphs 1 (a) (ii) and 1 (b) of the present decision;*

3. *That the present decision will apply to Parties operating under Article 5 and Parties not so operating only after the phase-out date applicable to those Parties.*

Para. 2 of Decision IX/6 does not assign TEAP the responsibility for determining the existence of “significant market disruption” specified in paragraph 1(a)(i).

TEAP assigned its Methyl Bromide Technical Options Committee (MBTOC) to determine whether there are *no technically and economically feasible alternatives or substitutes available to the user that are acceptable from the standpoint of environment and health and are suitable to the crops and circumstances of the nomination*, and to address the criteria listed in Decision IX/6 1(b).

ANNEX II - Part A: Historic Trends in Preplant Soil Nominations and Exemptions for MB Use

List of nominated (2005 – 2015) and exempted (2005 – 2014) amounts of MB granted by Parties under the CUE process for each crop.

Party	Industry	Total CUN MB Quantities											Total CUE Quantities										
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
Australia	Cut Flowers – field	40.000	22.350										18.375	22.350									
Australia	Cut flowers – protected	20.000											10.425										
Australia	Cut flowers, bulbs – protected Vic	7.000	7.000	6.170	6.150								7.000	7.000	3.598	3.500							
Australia	Strawberry Fruit	90.000											67.000										
Australia	Strawberry runners	35.750	37.500	35.750	35.750	29.790	29.790	29.790	29.790	29.760	29.760	29.760	35.750	37.500	35.750	35.750	29.790	29.790	23.840+ 5.95	29.760	29.760	29.760	
Belgium	Asparagus	0.630	0.225										0.630	0.225									
Belgium	Chicory	0.600	0.180										0.180	0.180									
Belgium	Chrysanthemums	1.800	0.720										1.120										
Belgium	Cucumber	0.610	0.545										0.610	0.545									
Belgium	Cut flowers – other	6.110	1.956										4.000	1.956									
Belgium	Cut flowers – roses	1.640																					
Belgium	Endive (sep from lettuce)		1.650											1.650									
Belgium	Leek & onion seeds	1.220	0.155										0.660										

Party	Industry	Total CUN MB Quantities											Total CUE Quantities									
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Belgium	Lettuce(& endive)	42.250	22.425										25.190									
Belgium	Nursery	Not Predictable	0.384										0.900	0.384								
Belgium	Orchard pome & berry	1.350	0.621										1.350	0.621								
Belgium	Ornamental plants	5.660											0.000									
Belgium	Pepper & egg plant	5.270	1.350										3.000	1.350								
Belgium	Strawberry runners	3.400	0.900										3.400	0.900								
Belgium	Tomato (protected)	17.170	4.500										5.700	4.500								
Belgium	Tree nursery	0.230	0.155										0.230	0.155								
Canada	Strawberry runners (PEI)	14.792	6.840	7.995	7.462	7.462	7.462	5.261	5.261	5.596	5.261	5.261	(a)14.792	6.840	7.995	7.462	7.462	7.462	5.261	5.261	5.261	5.261
Canada	Strawberry runners (Quebec)		1.826	1.826									(a)	1.826	1.826							
Canada	Strawberry runners (Ontario)			6.129											6.129							
France	Carrots	10.000	8.000	5.000									8.000	8.000	1.400							
France	Cucumber	85 revised to 60	60.000	15.000									60.000	60.000	12.500							
France	Cut-flowers	75.000	60.250	12.000									60.000	52.000	9.600							
France	Forest tree nursery	10.000	10.000	1.500									10.000	10.000	1.500							

Party	Industry	Total CUN MB Quantities											Total CUE Quantities										
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
France	Melon	10.000	10.000										7.500	6.000									
France	Nursery: orchard, raspberry	5.000	5.000	2.000									5.000	5.000	2.000								
France	Orchard replant	25.000	25.000	7.500									25.000	25.000	7.000								
France	Pepper	Incl in.tomato cun	27.500	6.000										27.500	6.000								
France	Strawberry fruit	90.000	86.000	34.000									90.000	86.000									
France	Strawberry runners	40.000	4.000	35.000									40.000	40.000	28.000								
France	Tomato (and eggplant for 2005 only)	150(all solanaceous)	60.500	33.250									125.000	48.400									
France	Eggplant		27.500	33.250										48.400									
Greece	Cucurbits	30.000	19.200										30.000	19.200									
Greece	Cut flowers	14.000	6.000										14.000	6.000									
Greece	Tomatoes	180.000	73.600										156.000	73.600									
Israel	Broomrape			250.000	250.000	125.000	12.500	12.500							250.000	250.000	125.000	12.500					
Israel	Cucumber - protected new 2007			25.000	18.750		18.750	12.500							25.000	18.750	-	15.937					
Israel	Cut flowers – open field	77.000	67.000	80.755	53.345	42.777	42.554	23.292					77.000	67.000	74.540	44.750	34.698	28.554					
Israel	Cut flowers – protected	303.000	303.000	321.330	163.400	113.821	72.266	52.955					303.000	240.000	220.185	114.450	85.431	63.464					
Israel	Fruit tree nurseries	50.000	45.000	10.000									50.000	45.000	7.500								

Party	Industry	Total CUN MB Quantities											Total CUE Quantities										
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
Israel	Melon – protected & field	148.000	142.000	140.000	87.500	87.500	87.500	35.000					125.650	99.400	105.000	87.500	87.500	70.000					
Israel	Potato	239.000	231.000	137.500	93.750	75.000							239.000	165.000	137.500	93.750	75.000						
Israel	Seed production	56.000	50.000			22.400							56.000	28.000			NR						
Israel	Strawberries – fruit (Sharon)	196.000	196.000	176.200	64.125	52.250	47.500	28.500					196.000	196.000	93.000	105.960	42.750						
Israel	Strawberries – fruit (Sharon & Ghaza)																	57.063					
Israel	Strawberry runners (Sharon)	35.000	35.000		20.000	15.800	13.570	13.500					35.000	35.000	28.000	31.900	15.825						
Israel	Strawberry runners and fruit Ghaza				87.875	67.500	67.500	34.000									47.250						
Israel	Strawberry runners (Sharon & Ghaza)																	22.320					
Israel	Tomatoes			90.000											22.750								
Israel	Sweet potato					95.000	20.000	20.000								111.500	95.000	20.000					
Italy	Cut flowers (protected)	250.000	250.000	30.000									250.000	187.000	30.000								
Italy	Eggplant (protected)	280.000	200.000	15.000									194.000	156.000									
Italy	Melon (protected)	180.000	135.000	10.000									131.000	131.000	10.000								

Party	Industry	Total CUN MB Quantities											Total CUE Quantities										
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
Italy	Pepper (protected)	220.000	160.000	67.000									160.000	130.000	67.000								
Italy	Strawberry Fruit (Protected)	510.000	400.000	35.000									407.000	320.000									
Italy	Strawberry Runners	100.000	120.000	35.000									120.000	120.000	35.000								
Italy	Tomato (protected)	1300.000	1030.000	418.000									871.000	697.000	80.000								
Japan	Cucumber	88.300	88.800	72.400	68.600	61.400	34.100	29.120	26.162				88.300	88.800	72.400	51.450	34.300	30.690	27.621				
Japan	Ginger – field	119.400	119.400	112.200	112.100	102.200	53.400	47.450	42.235				119.400	119.400	109.701	84.075	63.056	53.400	47.450				
Japan	Ginger – protected	22.900	22.900	14.800	14.800	12.900	8.300	7.770	6.558				22.900	22.900	14.471	11.100	8.325	8.300	7.036				
Japan	Melon	194.100	203.900	182.200	182.200	168.000	90.800	77.600	67.936				194.100	203.900	182.200	136.650	91.100	81.720	73.548				
Japan	Peppers (green and hot)	189.900	200.700	169.400	162.300	134.400	81.100	68.260	61.101				187.200	200.700	156.700	121.725	81.149	72.990	65.691				
Japan	Watermelon	126.300	96.200	94.200	43.300	23.700	15.400	13.870	12.075				129.000	98.900	94.200	32.475	21.650	14.500	13.050				
Malta	Cucumber		0.096											0.127									
Malta	Eggplant		0.128											0.170									
Malta	Strawberry		0.160											0.212									
Malta	Tomatoes		0.475											0.594									
New Zealand	Nursery material	1.085	1.085											0									
New Zealand	Strawberry fruit	42.000	42.000	24.78									42.000	34.000	12.000								

Party	Industry	Total CUN MB Quantities											Total CUE Quantities										
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
New Zealand	Strawberry runners	10.000	10.000	5.720									8.000	8.000	6.234								
Poland	Strawberry Runners	40.000	40.000	25.000	12.000								40.000	40.000	24.500								
Portugal	Cut flowers	130.000	8.750										50.000	8.750									
Spain	Cut Flowers – Cadiz	53.000	53.000	35.000									53.000	42.000									
Spain	Cut Flowers – Catalonia	20.000	18.600	12.840	17							20.000	15.000	43.490									
					(+Andalucia)												(+Andalucia)						
Spain	Pepper	200.000	155.000	45.000									200.000	155.000	45.000								
Spain	Strawberry Fruit	556.000	499.290	80.000									556.000	499.290	0.0796								
Spain	Strawberry Runners	230.000	230.000	230.000	215.000								230.000	230.000	230.000								
UK	Cut flowers		7.560											6.050									
UK	Ornamental tree nursery	12.000	6.000										6.000	6.000									
UK	Strawberry (& raspberry in 2005)	80.000	63.600										68.000	54.500									
UK	Raspberry nursery		4.400										4.400	54.500									
USA	Chrys. Cuttings/roses	29.412											29.412	0									
USA	Cucurbits – field	1187.8	747.839	598.927	588.949	411.757	340.405	218.032	59.500	11.899			1187.800	747.839	592.891	486.757	407.091	302.974	195.698	59.500			

Party	Industry	Total CUN MB Quantities											Total CUE Quantities									
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
USA	Eggplant – field	76.761	101.245	96.48	79.546	62.789	34.732	21.561	6.904	1.381			76.721	82.167	85.363	66.018	48.691	32.820	19.725	6.904		
USA	Forest nursery seedlings	192.515	157.694	152.629	133.140	125.758	120.853	106.043					192.515	157.694	122.032	131.208	122.060	117.826	93.547			
USA	Ginger	9.2											9.2	0								
USA	Orchard replant	706.176	827.994	405.415	405.666	314.007	226.021	203.591	18.324	6.230			706.176	527.600	405.400	393.720	292.756	215.800	183.232	18.324		
USA	Ornamentals	210.949	162.817	149.965	138.538	137.776	95.204	70.178	48.164	48.164			154.000	148.483	137.835	138.538	107.136	84.617	64.307	48.164		
USA	Nursery stock - fruit trees, raspberries, roses	45.789	64.528	12.684	51.102	27.663	17.954	7.955	1.591	0.541			45.800	64.528	28.275	51.102	25.326	17.363	7.955	1.591		
USA	Peppers – field	1094.78 2	1498.53	1151.75 1	919.006	783.821	463.282	212.775	28.366				1094.782	1243.542	1106.753	756.339	548.984	463.282	206.234			
USA	Strawberry fruit – field	2468.87 3	1918.40	1733.90 1	1604.669	1336.75 4	1103.422	1023.471	753.974	531.737	415.067	373.660	2052.846	1730.828	1476.019	1349.575	1269.321	1007.477	812.709	678.004	415.067	415.067
USA	Strawberry runners	54.988	56.291	4.483	8.838	8.837	7.381	7.381	3.752	3.752			54.988	56.291	4.483	8.838	7.944	4.690 + 2.018	6.036	3.752		
USA	Tomato – field	2876.04 6	2844.98 5	2334.04 7	1840.1	1406.48 4	994.582	336.191	54.423	10.741			737.584	2476.365	2065.246	1406.484	1003.876	737.584	292.751	54.423		
USA	Turfgrass	352.194	131.600	78.040	52.189	0								131.600	78.04	0						
USA	Sweet potato	224.528			18.144	18.144	18.144	14.515	8.709							18.144	18.144	14.515	11.612			
USA	Research								2.768	2.768												

ANNEX III– Part B: Historic Trends in Structural and Commodity Nominations and Exemptions for MB Use

List of nominated (2005- 2015) and exempted (2005 - 2014) amounts of MB granted by Parties under the CUE process for each commodity.

Party	Industry	Total CUN MB Quantities											Total CUE Quantities										
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
Australia	Almonds	1.900	2.100										1.900	2.100									
Australia	Rice consumer packs	12.300	12.300	10.225	9.200 +1.8	9.2	7.82	5.66	3.653	2.374	1.187	1.187	6.150	6.150	9.205	9.200	7.820	6.650	4.870	3.653	1.187	1.187	
Belgium	Artefacts and structures	0.600	0.307										0.590	0.307									
Belgium	Antique structure & furniture	0.750	0.199										0.319	0.199									
Belgium	Churches, monuments and ships' quarters	0.150	0.059										0.150	0.059									
Belgium	Electronic equipment	0.100	0.035										0.100	0.035									
Belgium	Empty silo	0.050	0.043										0.050	0.043									
Belgium	Flour mill see mills below	0.125	0.072										See mills below	0.072									
Belgium	Flour mills	10.000	4.170										9.515	4.170									
Belgium	Mills	0.200	0.200										0.200	0.200									
Belgium	Food processing facilities	0.300	0.300										0.300	0.300									

Party	Industry	Total CUN MB Quantities											Total CUE Quantities										
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
Belgium	Food Processing premises	0.030	0.030										0.030	0.030									
Belgium	Food storage (dry) structure	0.120	0.120										0.120	0									
Belgium	Old buildings	7.000	0.306										1.150	0.306									
Belgium	Old buildings and objects	0.450	0.282										0	0.282									
Belgium	Woodworking premises	0.300	0.101										0.300	0.101									
Canada	Flour mills	47.200	34.774	30.167	28.650	26.913	22.878	14.107	11.020	7.848	5.044	5.044	(a)47	34.774	30.167	28.65	26.913	22.878	14.107	11.020	5.044	5.044	
Canada	Pasta manufacturing facilities	(a)	10.457	6.757	6.067	4.740	4.740	2.084					(a)	10.457	6.757	6.067	4.740	3.529					
Canada	Commodities					0.068																	
France	Seeds sold by PLAN-SPG company	0.135	0.135	0.100									0.135	0.135	0.096								
France	Mills	55.000	40.000	8.000									40.000	35.000	8.000								
France	Rice consumer packs	2.000	2.000										2.000	2.000									
France	Chestnuts	2.000	2.000	1.800									2.000	2.000	1.800								
Germany	Artefacts	0.250	0.100										0.250	0.100									

Party	Industry	Total CUN MB Quantities										Total CUE Quantities										
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
Germany	Mills and Processors	45.000	19.350										45.000	19.350								
Greece	Dried fruit	4.280	3.081	0.900									4.280	3.081	0.450							
Greece	Mills and Processors	23.000	16.000	1.340									23.000	15.445	1.340							
Greece	Rice and legumes		2.355											2.355								
Ireland	Mills		0.888	0.611										0.888								
Israel	Artefacts	0.650	0.650	0.600									0.650	0.6500								
Israel	Dates (post harvest)	3.444	3.444	2.200	1.800	2.100							3.444	2.755	2.200	1.800	2.100	1.040				
Israel	Flour mills (machinery & storage)	2.140	1.490	1.490	0.800	0.300							2.140	1.490	1.040	0.312	0.300					
Israel	Furniture-imported	1.4220	1.4220	2.0420									1.4220	0								
Italy	Artefacts	5.500	5.500	5.000									5.225	0	5.000							
Italy	Mills and Processors	160.000	130.000	25.000									160.000	65.000	25.000							
Japan	Chestnuts	7.100	6.500	6.500	6.300	5.800	5.400	5.350	3.489	3.317			7.100	6.800	6.500	6.300	5.800	5.400	5.350	3.489		
Latvia	Grains		2.502											2.502								
Netherlands	Strawberry runners post harvest		0.120	0.120		0.120								0	0.120							
Poland	Medicinal herbs & dried mushrooms as dry commodities	4.000	3.560	1.800	0.500								4.100	3.560	1.800	1.800						

Party	Industry	Total CUN MB Quantities										Total CUE Quantities											
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	
Poland	Coffee, cocoa beans	(a)	2.160	2.000	0.500								2.160	1.420	1.420								
Spain	Rice		50.000										42.065										
Switzerland	Mills & Processors	8.700	7.000									8.700	7.000										
UK	Aircraft			0.165										0.165									
UK	Mills and Processors	47.130	10.195	4.509								47.130	10.195	4.509									
UK	Cereal processing plants		8.131	3.480									8.131										
UK	Cheese stores	1.640	1.248	1.248								1.640	1.248	1.248									
UK	Dried commodities (rice, fruits and nuts) Whitworths	2.400	1.256									2.400	1.256										
UK	Herbs and spices	0.035	0.037	0.030								0.035	0.037										
UK	Mills and Processors (biscuits)	2.525	1.787	0.479								2.525	1.787										
UK	Spices structural equip.	1.728										1.728	0	0.479									
UK	Spices stored	0.030										0.030	0										
UK	Structures buildings (herbs and spices)	3.000	1.872	0.908								3.000	1.872	0.908									

Party	Industry	Total CUN MB Quantities											Total CUE Quantities											
		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014		
UK	Structures, processors and storage (Whitworths)	1.100	0.880	0.257									1.100	0.880	0.257									
UK	Tobacco equipment	0.523											0.050											
UK	Woven baskets	0.770											0.770											
USA	Dried fruit and nuts (walnuts, pistachios, dried fruit and dates and dried beans)	89.166	87.719	91.299	67.699	58.912	19.242	10.041	2.419	0.822	0.740	0.310	89.166	87.719	78.983	58.921	45.623	19.242	5.000	2.419	0.740	0.740		
USA	Dry commodities/ structures (cocoa beans)	61.519	61.519	64.028	52.256	51.002							61.519	55.367	64.082	53.188								
USA	Dry commodities/ structures (processed foods, herbs and spices, dried milk and cheese processing facilities) NPMA	83.344	83.344	85.801	72.693	66.777	37.778	17.365	0.200				83.344	69.118	82.771	69.208	54.606	37.778	17.365					
USA	Smokehouse hams (Dry cure pork products) (building and product)	136.304	135.742	40.854	19.669	19.699	4.465	3.730	3.730	3.730	3.730	3.730	67.907	81.708	18.998	19.699	18.998	4.465	3.730	3.730	3.730	3.730		
USA	Mills and Processors	536.328	505.982	401.889	362.952	291.418	173.023	135.299	74.51	25.334	22.800		483.000	461.758	401.889	348.237	291.418	173.023	135.299	74.510	22.800	22.800		
USA	Research								0.159	0.159														